

Web2c

for version 2026
January 2026

Karl Berry
Olaf Weber
<https://tug.org/web2c>

This file documents the installation and use of the programs in Web2c, an implementation of Donald Knuth's TeX system.

Copyright © 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2007, 2008, 2009, 2010–2026 Karl Berry & Olaf Weber.

Permission is granted to make and distribute verbatim copies of this manual provided the copyright notice and this permission notice are preserved on all copies.

Permission is granted to copy and distribute modified versions of this manual under the conditions for verbatim copying, provided that the entire resulting derived work is distributed under the terms of a permission notice identical to this one.

Permission is granted to copy and distribute translations of this manual into another language, under the above conditions for modified versions, except that this permission notice may be stated in a translation

Table of Contents

1	Introduction	1
2	Installation	3
2.1	configure options	3
2.2	Compile-time options	4
2.3	Additional targets	5
2.4	Trip, trap, and mptrap: Torture tests	5
3	Commonalities	7
3.1	Option conventions	7
3.2	Common options	7
3.3	Path searching	9
3.4	Output file location	9
4	Three programs: Metafont, MetaPost, and T_EX	11
4.1	Runtime options	11
4.2	Initial and virgin	12
4.3	Memory dumps	12
4.3.1	Creating memory dumps	12
4.3.2	Determining the memory dump to use	13
4.3.3	Hardware and memory dumps	13
4.4	Editor invocation	14
4.5	\input filenames	15
4.5.1	\input quoted filename: \input "some name"	15
4.5.2	\input braced filename: \input{some name}	15
4.5.3	\input filename caveats	16
5	T_EX: Typesetting	17
5.1	tex invocation	17
5.2	Initial T _E X	20
5.3	Formats	21
5.4	Languages and hyphenation	22
5.4.1	MLT _E X: Multi-lingual T _E X	22
5.4.1.1	\charsubdef: Character substitutions	22
5.4.1.2	\tracingcharsubdef: Substitution diagnostics	23
5.4.2	TCX files: Character translations	23
5.4.3	Patgen: Creating hyphenation patterns	25
5.5	Shell escapes	25
5.6	IPC and T _E X	26
5.7	Extended T _E X engines	26

6	Metafont: Creating typeface families	28
6.1	mf invocation	28
6.2	Initial Metafont	29
6.3	Modes: Device definitions for Metafont	30
6.4	Online Metafont graphics	31
6.5	GFtoDVI: Character proofs of fonts	32
6.6	MFT: Prettyprinting Metafont source	33
7	MetaPost: Generating PostScript	35
7.1	mpost invocation	35
7.2	Initial MetaPost	37
7.3	DVItoMP: DVI to MPX conversion	37
8	BibT_EX: Bibliographies	38
8.1	BibT _E X invocation	38
8.2	Basic BibT _E X style files	39
9	WEB: Literate programming	40
9.1	Tangle: Translate WEB to Pascal	40
9.2	Weave: Translate WEB to T _E X	41
9.3	Pooltype: Display WEB pool files	41
10	DVI utilities	43
10.1	DVIcopy: Canonicalize virtual font references	43
10.2	DVItype: Plain text transliteration of DVI files	43
10.2.1	DVItype output example	44
11	Font utilities	47
11.1	Font file formats	47
11.2	GFtoPK: Generic to packed font conversion	48
11.3	PKtoGF: Packed to generic font conversion	48
11.4	PKtype: Plain text transliteration of packed fonts	48
11.5	GFtype: Plain text transliteration of generic fonts	50
11.6	TFtoPL: T _E X font metric to property list conversion	52
11.7	PLtoTF: Property list to T _E X font metric conversion	54
11.8	VFtoVP: Virtual font to virtual property lists	54
11.9	VPtoVF: Virtual property lists to virtual font	55
11.10	Font utilities available elsewhere	55
Appendix A	Legalisms	56
Appendix B	References	57
Index		59

1 Introduction

This manual corresponds to version 2026 of Web2c, released in January 2026.

Web2c (also spelled Web2C) is the name of a T_EX implementation, originally for Unix, but now also running under Windows and other operating systems. By *T_EX implementation*, we mean all of the standard programs developed by the Stanford T_EX project led by Donald E. Knuth: Metafont, DVItyp_e, GFtoDVI, BibT_EX, Tangle, etc., as well as T_EX itself. Other programs are also included: DVicopy, written by Peter Breitenlohner, MetaPost and its utilities (derived from Metafont), by John Hobby, and many more.

General strategy: Web2c works, as its name implies, by translating the WEB source in which T_EX is written into C source code. Its output is not self-contained, however; it makes extensive use of many macros and functions in a library (the `web2c/lib` directory in the sources). Therefore, it will not work without change on an arbitrary WEB program.

Availability: All of Web2c is freely available—“free” both in the sense of no cost (free ice cream) and of having the source code to modify and/or redistribute (free speech). See Section “unixtex.ftp” in *Kpathsea*, for the practical details of how to obtain Web2c.

Different parts of the Web2c distribution have different licensing terms, however, reflecting the different circumstances of their creation; consult each source file for exact details. The main practical implication for redistributors of Web2c is that most of the executables are covered by the GNU General Public License or GNU Lesser General Public License, and therefore anyone who gets a binary distribution must also be able to get the sources, as explained by the terms of the GPL (<https://gnu.org/licenses/>). The GPL covers the Web2c executables, including `tex`, because the Free Software Foundation sponsored the initial development of the Kpathsea library that Web2c uses. The basic source files from Stanford, however, have their own copyright terms or are in the public domain, and are not covered by the GPL.

History: Tomas Rokicki originated the T_EX-to-C system in 1987, working from the first change files for T_EX under Unix, which were done primarily by Howard Trickey and Pavel Curtis. Tim Morgan then took over development and maintenance for a number of years; the name changed to Web-to-C somewhere in there. In 1990, Karl Berry became the maintainer. He made many changes to the original sources, and started using the shorter name Web2c. In 1997, Olaf Weber took over, and then in 2006, Karl started taking care of it again. No significant development or changes have been needed for many years, though dozens of other people have contributed in many ways; their names are listed in the **ChangeLog** files.

Originally, Web2c was distributed as its own package, alongside the original web programs from Stanford and other components. It was also the basis for the teT_EX distribution (now discontinued). Around 2004, the packaging focus shifted entirely to the T_EX Live distribution (<https://tug.org/texlive/>), though the same Web2c is at the heart of the release.

Other acknowledgements by Karl: The University of Massachusetts at Boston (particularly Rick Martin and Bob Morris) provided computers and ftp access to me for many years. Richard Stallman at the Free Software Foundation employed me while I wrote the original path searching library (for the GNU font utilities). (rms also gave us Emacs, GDB, and GCC, without which I cannot imagine developing Web2c.) And, of course, T_EX would not exist in the first place without Donald E. Knuth.

Further reading: See Appendix B [References], page 57.

2 Installation

(A copy of this chapter is in the distribution file `web2c/INSTALL`.)

Installing Web2c is mostly the same as installing any other Kpathsea-using program. Therefore, for the basic steps involved, see Section “Installation” in *Kpathsea*. (A copy is in the file `kpathsea/INSTALL`.)

One peculiarity to Web2c is that the source distribution comes in two files: `web.tar.gz` and `web2c.tar.gz`. You must retrieve and unpack them both. (We have two because the former archive contains the very large and seldom-changing original WEB source files.) See Section “unixtex.ftp” in *Kpathsea*.

Another peculiarity is the MetaPost program. Although it has been installed previously as `mp`, as of Web2c 7.0 the installed name is now `mpost`, to avoid conflict with the `mp` program that does prettyprinting. This approach was recommended by the MetaPost author, John Hobby. If you as the \TeX administrator wish to make it available under its shorter name as well, you will have to set up a link or some such yourself. And of course individual users can do the same.

For solutions to common installation problems and information on how to report a bug, see the file `kpathsea/BUGS` (see Section “Bugs” in *Kpathsea*). See also the Web2c home page, <http://www.tug.org/web2c>.

Points worth repeating:

- Before starting the standard compilation and installation you must install the basic fonts, macros, and other library files. See Section “Installation” in *Kpathsea*.
- If you do not wish to use the standard file locations, see Section “Changing search paths” in *Kpathsea*.
- Some Web2c features are enabled or disabled at `configure` time, as described in the first section below.

2.1 configure options

This section gives pointers to descriptions of the ‘`--with`’ and ‘`--enable`’ `configure` arguments that Web2c accepts. Some are specific to Web2c, others are generic to all Kpathsea-using programs.

For a list of all the options `configure` accepts, run ‘`configure --help`’. The generic options are listed first, and the package-specific options come last.

For a description of the generic options (which mainly allow you to specify installation directories) and basic `configure` usage, see Section “Running `configure` scripts” in *Autoconf*, a copy is in the file `kpathsea/CONFIGURE`.

‘`--disable-dump-share`’

Do not make `fmt/base/mem` files sharable across different endian architectures. See Section 4.3.3 [Hardware and memory dumps], page 13.

```
'--without-maketexmf-default'
'--without-maketexpk-default'
'--without-maketextfm-default'
'--with-maketextex-default'
```

Enable or disable the dynamic generation programs. See Section “mktex configuration” in *Kpathsea*. The defaults are the inverse of the options, i.e., everything is enabled except `mktextex`.

```
'--enable-shared'
```

Build *Kpathsea* as a shared library. See Section “Shared library” in *Kpathsea*.

```
'--with-editor=cmd'
```

Change the default editor invoked by the ‘e’ interactive command. See Section 4.4 [Editor invocation], page 14.

```
'--with-epsfwin'
'--with-hp2627win'
'--with-mftalkwin'
'--with-nextwin'
'--with-regiswin'
'--with-suntoolswin'
'--with-tektronixwin'
'--with-unitermwin'
'--with-x'
'--with-x-toolkit=KIT'
'--with-x11win'
'--with-x11'
```

Define Metafont graphics support; by default, no graphics support is enabled. See Section 6.4 [Online Metafont graphics], page 31.

```
'--x-includes=dir'
```

```
'--x-libraries=dir'
```

Define the locations of the X11 include files and libraries; by default, `configure` does its best to guess). See Section “Optional Features” in *Autoconf*. A copy is in `kpathsea/CONFIGURE`.

2.2 Compile-time options

In addition to the `configure` options listed in the previous section, there are a few things that can be affected at compile-time with C definitions, rather than with `configure`. Using any of these is unusual.

To specify extra compiler flags (‘-Dname’ in this case), the simplest thing to do is:

```
make XCFLAGS="ccoptions"
```

You can also set the `CFLAGS` environment variable before running `configure`. See Section “configure environment” in *Kpathsea*.

Anyway, here are the possibilities:

`'-DFIXPT'`

`'-DNO_MF_ASM'`

Use the original WEB fixed-point routines for Metafont and MetaPost arithmetic calculations regarding fractions. By default, assembly-language routines are used on x86 hardware with GNU C (unless `'NO_MF_ASM'` is defined), and floating-point routines are used otherwise.

`'-DIPC_DEBUG'`

Report on various interprocess communication activities. See Section 5.6 [IPC and \TeX], page 26.

2.3 Additional targets

Web2c has several Make targets besides the standard ones. You can invoke these either in the top level directory of the source distribution (the one containing `kpathsea/` and `web2c/`), or in the `web2c/` directory.

`'c-sources'`

Make only the C files, translated from the Web sources, presumably because you want to take them to a non-Unix machine.

`'formats'`

`'install-formats'`

Make or install all the memory dumps (see Section 4.3 [Memory dumps], page 12). By default, the standard plain formats plus `latex.fmt` are made. You can add other formats by redefining the `fmts`, `bases`, and `mems` variables. See the top of `web2c/Makefile` for the possibilities.

`'fmts'`

`'install-fmts'`

Make or install the \TeX `.fmt` files. See Section 5.2 [Initial \TeX], page 20.

`'bases'`

`'install-bases'`

Make or install the Metafont `.base` files. See Section 6.2 [Initial Metafont], page 29.

`'mems'`

`'install-mems'`

Make or install the MetaPost `.mem` files. See Section 7.2 [Initial MetaPost], page 37.

`'triptrap'`

`'trip'`

`'trap'`

`'mptrap'` To run the torture tests for \TeX , Metafont, and MetaPost (respectively). See the next section.

2.4 Trip, trap, and mptrap: Torture tests

To validate your \TeX , Metafont, and MetaPost executables, run `'make triptrap'`. This runs the `trip`, `trap`, and `mptrap` “torture tests”. See the files `triptrap/tripman.tex`,

`triptrap/trapman.tex`, and `triptrap/mptrap.readme` for detailed information and background on the tests.

The differences between your executables' behavior and the standard values will show up on your terminal. The usual differences (these are all acceptable) are:

- string usage and table sizes;
- glue set ratios;
- ‘down4’, ‘right4’, and ‘y4’ commands in DVItypex output;
- dates and times.

Any other differences are trouble. The most common culprit in the past has been compiler bugs, especially when optimizing. See Section “TEX or Metafont failing” in *Kpathsea*.

The files `trip.diffs`, `mftrap.diffs`, and `mptrap.diffs` in the `triptrap` directory show the standard diffs against the original output. If you diff your diffs against these files, you should come up clean. For example

```
make trip >&mytrip.diffs
diff triptrap/trip.diffs mytrip.diffs
```

To run the tests separately, use the targets `trip`, `trap`, and `mptrap`.

To run simple tests for all the programs as well as the torture tests, run ‘`make check`’. You can compare the output to the distributed file `tests/check.log` if you like.

3 Commonalities

Many aspects of the T_EX system are the same among more than one program, so we describe those pieces together, here.

Another kind of commonality is the extensions to T_EX that are available across all the engines; see Section 5.7 [T_EX extensions], page 26.

3.1 Option conventions

To provide a clean and consistent behavior, we chose to have all these programs use the GNU function `getopt_long_only` to parse command lines. It is used in a restricted mode where all the options have to come before the rest of the arguments.

As a result, you can:

- use ‘-’ or ‘--’ to start an option name;
- use any unambiguous abbreviation for an option name;
- separate option names and values with either ‘=’ or one or more spaces;
- use filenames that would otherwise look like options by putting them after an option ‘--’.

By convention, non-option arguments, if specified, generally define the name of an input file, as documented for each program.

If a particular option with a value is given more than once, it is the last value that counts.

For example, the following command line specifies the options ‘foo’, ‘bar’, and ‘verbose’; gives the value ‘baz’ to the ‘abc’ option, and the value ‘xyz’ to the ‘quux’ option; and specifies the filename `-myfile-`.

```
-foo --bar -verb -abc=baz -quux karl --quux xyz -- -myfile-
```

3.2 Common options

All of these programs accept the standard GNU ‘--help’ and ‘--version’ options, and several programs accept ‘--verbose’. Rather than writing identical descriptions for every program, they are described here.

‘--help’ Print a usage message listing basic usage and all available options to standard output, then exit successfully.

‘--verbose’
 Print progress reports to standard output.

‘--version’
 Print the version number to standard output, then exit successfully.

T_EX, Metafont, and MetaPost have a number of additional options in common:

‘-cnf-line=str’
 Parse *str* as if it were a line in the `texmf.cnf` configuration file, overriding all other settings. See Section “Path searching options” in *Kpathsea*.

`'-file-line-error'`

`'-no-file-line-error'`

Change (or do not change) the way error messages are printed. The alternate style looks like error messages from many compilers and is easier to parse for some editors that invoke T_EX. This option used to be called `'-file-line-error-style'`.

`'-fmt=dumpname'`

`'-base=dumpname'`

`'-mem=dumpname'`

Use *dumpname* instead of the program name or a `'%&'` line to determine the name of the memory dump file read (`'fmt'` for T_EX, `'base'` for Metafont, `'mem'` for MetaPost). See Section 4.3 [Memory dumps], page 12. Also sets the program name to *dumpname* if no `'-programe'` option was given.

`'-halt-on-error'`

Stop processing and exit when an error occurs, as opposed to the normal process of trying to recover and continue.

`'-ini'`

Enable the “initial” form of the program (see Section 4.2 [Initial and virgin], page 12). This is implicitly set if the program name is `initex` resp. `inimf`.

`'-interaction=string'`

Set the interaction mode from the command line. The *string* must be one of `'batchmode'`, `'nonstopmode'`, `'scrollmode'`, or `'errorstopmode'`.

`'-jobname=string'`

Set the job name to *string*, instead of deriving it from the name of the input file.

`'-kpathsea-debug=number'`

Set path searching debugging flags according to the bits of *number* (see Section “Debugging” in *Kpathsea*). You can also specify this in `KPATHSEA_DEBUG` environment variable (for all Web2c programs). (The command line value overrides.) The most useful value is `'-1'`, to get all available output.

`'-output-directory=dirname'`

Specify the directory *dirname* to which output files are written. Also look for input files in *dirname* first, before looking along the normal search path. Input files are only looked for as specified; no default extension is added. See Section 3.4 [Output file location], page 9.

`'-parse-first-line'`

`'-no-parse-first-line'`

Check or disable checking whether the first line of the main input file starts with `'%&'`, and parse it if it does. This line can be used specify the format and/or a TCX file.

`'-programe=string'`

Set program (and memory dump) name to *string*. This may affect the search paths and other values used (see Section “Config files” in *Kpathsea*). Using this option is equivalent to making a link named *string* to the binary and then invoking the binary under that name. See Section 4.3 [Memory dumps], page 12.

‘-recorder’

Enable the filename recorder. This makes the program save a list of the opened files into a file with (by default) extension ‘.fls’. For Aleph, this option is always on, and the file has extension ‘.ofl’.

Ordinarily, the ‘.fls’ file is written to the same location as the ‘.log’ file, for example, respecting `-output-directory` if it is given (see Section 3.4 [Output file location], page 9). However, if T_EX processing is done on the command line (or in response to the ‘**’ prompt), the ‘.fls’ might be written to the current directory, or include an integer (the current pid), as in `texput1234.fl`s. You can use `-jobname` to explicitly set the basename.

‘-translate-file=tcxfile’

Use *tcxfile* to define which characters are printable and translations between the internal and external character sets. Moreover, *tcxfile* can be explicitly declared in the first line of the main input file ‘`%& -translate-file=tcxfile`’. This is the recommended method for portability reasons. See Section 5.4.2 [TCX files], page 23.

‘-8bit’

This option specifies that by default all characters should be considered printable. If ‘`-translate-file`’ was given as well, then the TCX file may mark characters as non-printable. This is a no-op in engines natively supporting Unicode.

3.3 Path searching

All of the Web2c programs, including T_EX, which do path searching use the Kpathsea routines to do so. The precise names of the environment and configuration file variables which get searched for particular file formatted are therefore documented in the Kpathsea manual (see Section “Supported file formats” in *Kpathsea*). Reading `texmf.cnf` (see Section “Config files” in *Kpathsea*), invoking `mktex...` scripts (see Section “mktex scripts” in *Kpathsea*), and so on are all handled by Kpathsea.

The programs which read fonts make use of another Kpathsea feature: `texfonts.map`, which allows arbitrary aliases for the actual names of font files; for example, ‘Times-Roman’ for ‘`ptmr8r.tfm`’. The distributed (and installed by default) `texfonts.map` includes aliases for many widely available PostScript fonts by their PostScript names.

3.4 Output file location

All the programs generally follow the usual convention for output files; namely, they are placed in the directory current when the program is run, regardless of any input file location; or, in a few cases, output is to standard output. The main programs (T_EX, Metafont, MetaPost) provide several ways to override this, as explained below.

For example, if you run ‘`tex /tmp/foo`’, by default the output will be in `./foo.dvi` and `./foo.log`, not `/tmp/foo.dvi` and `/tmp/foo.log`.

An explicitly-given output location is also checked for input files, as T_EX often generates files that need to be subsequently read. For input, the input filename is simply checked as given. No suffixes, such as ‘.tex’, are added by default, and no exhaustive path searching is done.

Override 1: ‘-output-directory’ option

If the ‘-output-directory’ option is specified, all output files that would normally be written in the current directory are written in the specified directory instead. See Section 3.2 [Common options], page 7.

Override 2: TEXMF_OUTPUT_DIRECTORY environment variable

Furthermore, if the ‘-output-directory’ option is specified, its argument is saved in the environment variable TEXMF_OUTPUT_DIRECTORY. This is for the benefit of any subprograms that might be called via `\write18` (see Section 5.5 [Shell escapes], page 25), such as `kpsewhich` (see Section “Invoking kpsewhich” in *Kpathsea*). (This feature was added in T_EX Live 2024.)

If the ‘-output-directory’ option is not specified, but the environment variable TEXMF_OUTPUT_DIRECTORY is set, then the environment variable value is used just as if it had been given to the option.

Warning: we most strongly recommend always setting TEXMF_OUTPUT_DIRECTORY temporarily, for a given run. It has great potential for confusion, since with it set, output files will not be in the expected place. To reduce this chance somewhat, TEXMF_OUTPUT_DIRECTORY must be set in the environment, not a configuration file.

Override 3: TEXMFOUTPUT environment variable

Finally, if neither ‘-output-directory’ nor TEXMF_OUTPUT_DIRECTORY is set, *and* an output file is not writable, then the main programs (T_EX, Metafont, MetaPost), plus BibT_EX for this one case, make an exception: if the config file or environment variable value TEXMFOUTPUT is set (it is not by default), the output file is written to the directory specified. Usually this is because the current directory is not writable, and thus all output files are written to TEXMFOUTPUT, but technically it works on a file-by-file basis.

None of these explicitly-given output locations are checked until (and unless) the program needs to write a file. For example, the invocation

```
tex --output-directory=/nonesuch \end
won't generate an error until TEX tries to write the log file:
'! I can't write on file `texput.log'.'
```

4 Three programs: Metafont, MetaPost, and T_EX

T_EX, Metafont, and MetaPost have a number of features in common. Besides the ones here, command-line options and other commonalities are described in the previous section.

4.1 Runtime options

Besides the configure- and compile-time options described in the installation section (see Chapter 2 [Installation], page 3), you can control a number of parameters in the `texmf.cnf` runtime file read by Kpathsea (see Section “Config files” in *Kpathsea*).

The main purpose of `texmf.cnf` is to specify search paths, but array sizes and other options are also set there. Most are rather obscure. Here are a few of the more interesting values:

`‘main_memory’`

Total words of memory available, for T_EX, Metafont, and MetaPost. Must remake the format file after changing.

`‘extra_mem_bot’`

Extra space for “large” T_EX data structures (default 0): boxes, glue, breakpoints, et al. If you use PiCT_EX, you may well want to set this.

`‘expand_depth’`

Limit on recursive expansion calls before T_EX aborts (default 10000). If a T_EX program does an unterminated recursive expansion, T_EX will dutifully expand macros until the system’s runtime stack overflows, typically with a segmentation fault (SIGSEGV). This parameter was introduced to minimize the chance of that unpleasant (though not dangerous) crash, instead allowing T_EX to quit with a more informative message.

The crash can still happen, though, if the system has an exceptionally small memory allocation for its stack. There is no quantitative way to determine the limit, and it does not seem worth implementing system-dependent heuristics to guess at the number, since it’s highly improbable that any real T_EX code will ever need more than 10000 recursive expansions (it has never happened). For the same reason, using the libsigsegv library (<https://gnu.org/s/libsigsegv>) does not seem worth the effort.

`‘texmf_casefold_search’`

See Section “Casefolding search” in *Kpathsea*.

Ideally all arrays would be dynamically expanded as necessary, so the only limiting factor would be the amount of swap space available, or some configurable limit much larger than can currently be supported.

Unfortunately, implementing this is extremely difficult, as the fixed size of arrays is assumed in many places throughout the source code. These runtime limits are a practical compromise between the compile-time limits in previous versions, and truly dynamic arrays. (On the other hand, the Web2c BibT_EX implementation does do true dynamic reallocation of some arrays.)

Nowadays there is rarely a reason to modify the values. But if you do wish to modify `texmf.cnf`, in T_EX Live the best approach is to put your changes, and only your changes

at the top of the TL installation tree. That is, if the system `texmf.cnf` is installed in `/some/path/to/texlive/YYYY/texmf-dist/web2c/texmf.cnf` is put your custom settings in `/some/path/to/texlive/YYYY/texmf.cnf`, where `YYYY` is the year of installation (if you use that subdirectory; it's the default). That way, unrelated changes to the system `texmf.cnf` can happen with normal updates, without affecting your local values.

4.2 Initial and virgin

The T_EX and Metafont programs each have two main variants, called *initial* and *virgin*. MetaPost no longer makes this distinction.

The initial form is enabled if:

1. the `-ini` option was specified; or
2. the program name is `initex` resp. `inimf`; or
3. the first line of the main input file is `%&ini`;

otherwise, the virgin form is used.

The *virgin* form is the one generally invoked for production use. The first thing it does is read a memory dump (see Section 4.3.2 [Determining the memory dump to use], page 13), and then proceeds on with the main job.

The *initial* form is generally used only to create memory dumps (see the next section). It starts up more slowly than the virgin form, because it must do lengthy initializations that are encapsulated in the memory dump file.

4.3 Memory dumps

In typical use, T_EX and Metafont require a large number of macros to be predefined; therefore, they support *memory dump* files, which can be read much more efficiently than ordinary source code.

4.3.1 Creating memory dumps

The programs both create memory dumps in slightly idiosyncratic (though substantially similar) way, so we describe the details in separate sections (references below). The basic idea is to run the initial version of the program (see Section 4.2 [Initial and virgin], page 12), read the source file to define the macros, and then execute the `\dump` primitive.

Also, each program uses a different filename extension for its memory dumps, since although they are completely analogous they are not interchangeable (T_EX cannot read a Metafont memory dump, or vice versa).

Here are the filename extensions with references to examples of creating memory dumps:

T_EX (`.fmt`) See Section 5.2 [Initial T_EX], page 20.

Metafont (`.base`) See Section 6.2 [Initial Metafont], page 29.

MetaPost used to have an equivalent memory dump, called `.mem`, but no longer uses this; it now reads only source files.

When making memory dumps, the programs read environment variables and configuration files for path searching and other values as usual. If you are making a new installation and have environment variables pointing to an old one, for example, you will probably run into difficulties.

4.3.2 Determining the memory dump to use

The virgin form (see Section 4.2 [Initial and virgin], page 12) of each program always reads a memory dump before processing normal source input. All three programs determine the memory dump to use in the same way:

1. If the first non-option command-line argument begins with ‘&’, the program uses the remainder of that argument as the memory dump name. For example, running ‘`tex \&super`’ reads `super.fmt`. The backslash merely protects the ‘&’ against interpretation by the shell; quotes could also be used. T_EX must see only the ‘&’.
2. If the ‘`-fmt`’ resp. ‘`-base`’ option is specified, its value is used.
3. If the ‘`-progrname`’ option is specified, its value is used.
4. If the first line of the main input file (which must be specified on the command line, not in response to the ‘`**`’ prompt) is ‘`&dump`’, and *dump* is an existing memory dump of the appropriate type, *dump* is used.

The first line of the main input file can also specify which character translation file is to be used: ‘`%&-translate-file=tcxfile`’ (see Section 5.4.2 [TCX files], page 23).

These two roles can be combined: ‘`%&dump -translate-file=tcxfile`’. If this is done, the name of the dump must be given first.

5. Otherwise, the program uses the program invocation name, most simply `tex` resp. `mf`. For example, if `latex` is a link to `tex`, and the user runs ‘`latex foo`’, `latex.fmt` will be used.

4.3.3 Hardware and memory dumps

By default, most memory dump files are sharable among architectures of different types; specifically, among machines of different endianness (see Section “Byte order” in *GNU C Library*) and with different word sizes (4-byte `long` vs. 8-byte `long`). This is a feature of the Web2c implementation, and is not true of all T_EX implementations.

However, with the advent of Lua as an embedded scripting language, some dumps have become unportable, namely `lualatex`, `optex`, and `context`. These formats precompile Lua code into bytecode, which is architecture-specific for the sake of speed. With T_EX Live, if you need to support multiple architectures with the same tree, you can explicitly set `TEXMFSYSVAR` to different directories on the different systems. More discussion: <https://github.com/latex3/latex2e/issues/775>.

The script `tl-check-fmtshare` in the T_EX Live source tree (`Master/tlpkg/bin`) provides a relatively easy way to test that a `.fmt` built on the local host can be loaded by a T_EX engine built on some remote host.

If you specify ‘`--disable-dump-share`’ to `configure`, however, memory dumps will be endian-dependent. The reason to do this is speed. To achieve endian-independence, the reading of memory dumps on LittleEndian architectures, such as PC’s and DEC architectures, is somewhat slowed (all the multibyte values have to be swapped). Usually, this is not noticeable, and the advantage of being able to share memory dumps across all platforms at a site outweighs the speed loss. But if you’re trying to squeeze out every possible bit of performance, you may wish to do this.

T_EXnically, even without ‘`--disable-dump-share`’, sharing of `.fmt` files cannot be guaranteed to work. Floating-point values are always written in native format, and hence will

generally not be readable across platforms. Fortunately, T_EX uses floating point only to represent glue ratios, and none of the common formats (plain, L^AT_EX, AMST_EX, ...) do any glue setting at .fmt-creation time. Metafont does not use floating point in any dumped value at all.

Different memory dump files will never compare equal byte-for-byte, because the programs dump the current date and time. So don't be alarmed by this difference.

If you don't know what endianness your machine is, and you're curious, here is a little C program to tell you. (The `configure` script contains a similar program.) This is from the book *C: A Reference Manual*, by Samuel P. Harbison and Guy L. Steele Jr. (see Appendix B [References], page 57).

```
main ()
{
    /* Are we little or big endian?  From Harbison&Steele.  */
    union
    {
        long l;
        char c[sizeof (long)];
    } u;
    u.l = 1;
    if (u.c[0] == 1)
        printf ("LittleEndian\n");
    else if (u.c[sizeof (long) - 1] == 1)
        printf ("BigEndian\n");
    else
        printf ("unknownEndian");

    exit (u.c[sizeof (long) - 1] == 1);
}
```

You can add `printf("long %d\n", sizeof(long));` to see the size of the long data type.

4.4 Editor invocation

T_EX, Metafont, and MetaPost all (by default) stop and ask for user intervention at an error. If the input came from a file, and the user responds with `e` or `E`, the program invokes an editor.

Specifying '`--with-editor=cmd`' to `configure` sets the default editor command string to `cmd`. The environment variables/configuration values `TEXEDIT`, `MFEDIT`, and `MPEDIT` (respectively) override this. If '`--with-editor`' is not specified, the default is `vi +%d %s` on Unix, and an invocation of the T_EXworks editor on Windows. (See `texmf.cnf` for the precise values.)

In this string, '`%d`' is replaced by the line number of the error, and '`%s`' is replaced by the name of the current input file.

4.5 \input filenames

T_EX, Metafont, and MetaPost source programs can all read other source files with the `\input` (T_EX) and `input` (MF and MP) primitives:

```
\input name % in TeX
```

The file *name* can always be terminated with whitespace; for Metafont and MetaPost, the statement terminator `;` also works. (L^AT_EX and other macro packages provide other interfaces to `\input` that allow different notation; here we are concerned only with the primitive operation.)

As an extension to standard T_EX (allowed by Knuth's conditions), Web2c also supports specifying the filename in double quotes ("*some name*") and in a group, i.e., braces (*{some name}*), which is convenient for filenames containing spaces or other special characters, as described in the sections below.

In all cases, space tokens are ignored after the filename is read.

Also, double quote (") characters are ignored within the filename; there is no way to read files whose names contain a ".

For maximal portability of your document across systems, use only the characters 'a'–'z', '0'–'9', and at most one '.'. Do not use anything but simple filenames, since directory separators vary among systems; instead, add the necessary directories to the appropriate search path.

4.5.1 \input quoted filename: \input "some name"

As of Web2c version 7.5.3 (2004), double-quote characters can be used to include spaces or other special characters. In typical use, the " characters surround the entire filename:

```
\input "filename with spaces"
```

Technically, the quote characters can be used inside the name, and can enclose any characters, as in:

```
\input filename" "with" "spaces"
```

One more point. In L^AT_EX, the quotes are needed inside the braces of its `\input` macro, thus:

```
\input{a b}      % fails
\input{"a b"}    % ok
```

There is no way to quote the quote character.

4.5.2 \input braced filename: \input{some name}

As of Web2c 2020, `\input` filenames in T_EX engines (this does not apply in Metafont and MetaPost) can also be specified within a T_EX group, typically curly braces. For example:

```
\input{filename with spaces}
```

As always with T_EX, the brace characters are not hardwired; what counts is the category code: the first token after the `\input` must be of catcode 1 (begin group), and it is matched with the next character of catcode 2 (end group).

Within the group-delimited filename, braces are treated as normal characters.

As with all forms of filenames, following spaces are ignored (after the end group), and double quote (") characters are ignored within the filename.

4.5.3 `\input` filename caveats

The quoting mechanisms just described come into play *after* T_EX has tokenized and expanded the input. So, multiple spaces and tabs will generally be seen as a single space, active characters such as ‘~’ are expanded first (generally causing an error), and so on. More examples below.

Various C library routines and Unix itself use the null byte (character code zero, ASCII NUL) to terminate strings. So filenames in Web2c cannot contain nulls, even though T_EX itself does not treat NUL specially.

Windows reserves a long list of alphanumeric filenames, case-insensitive and with any extension, such as ‘CON’, ‘NUL’, ‘COM1’, ‘con.tex’, etc.; see Windows systems documentation for the whole list. Trying to use such names will cause a system error on Windows.

Finally, the present Web2c implementation does ‘~’ and ‘\$’ expansion on *name*, on all platforms, unlike Knuth’s original program. Thus:

```
\input ~jsmith/$foo.bar
```

will dereference the environment variable or Kpathsea config file value ‘foo’ and read that file, extended with ‘.bar’, in user ‘jsmith’'s home directory. You can also use braces in the variable expansion, as in ‘`${foo}bar`’, if you want to follow the variable name with a letter, numeral, or ‘_’.

(So, another way to get a program to read a filename containing whitespace is to define an environment variable and dereference it.)

In all the common T_EX formats (plain T_EX, L^AT_EX, ConT_EXt, . . .), the characters ‘~’ and ‘\$’ have special category codes, so to use them within a document you have to change their catcodes or use `\string`.

5 T_EX: Typesetting

T_EX is a typesetting system: it was especially designed to handle complex mathematics, as well as most ordinary text typesetting.

T_EX is a batch language, like C or Pascal, and not an interactive “word processor”: you compile a T_EX input file into a corresponding device-independent (DVI) file (and then translate the DVI file to the commands for a particular output device). This approach has both considerable disadvantages and considerable advantages. For a complete description of the T_EX language, see *The T_EXbook* (see Appendix B [References], page 57). Many other books on T_EX, introductory and otherwise, are available.

5.1 tex invocation

T_EX (usually invoked as `tex`) formats the given text and commands, and outputs a corresponding device-independent representation of the typeset document. This section merely describes the options available in the Web2c implementation. For a complete description of the T_EX typesetting language, see *The T_EXbook* (see Appendix B [References], page 57).

T_EX, Metafont, and MetaPost process the command line (described here) and determine their memory dump (`fnt`) file in the same way (see Section 4.3 [Memory dumps], page 12). Synopses:

```
tex [option]... [texname[.tex]] [more-input]
tex [option]... \more-input
tex [option]... &fmt first-line
```

In short, T_EX prepends `\input` to non-option command line arguments or the input to the `**` prompt, and then processes the result as normal T_EX input, including expansion.

The most common invocation is `'tex somefile'`, which reads `'somefile.tex'`, normally from the current directory. It is equivalent to `\input somefile`.

In more detail:

T_EX searches the usual places for the main input file *texname* (see Section “Supported file formats” in *Kpathsea*), extending *texname* with `.tex` if necessary. To see all the relevant paths, set the environment variable `KPATHSEA_DEBUG` to `-1` before running the program.

After *texname* is read, T_EX processes any remaining *more-input* on the command line as regular T_EX input. Also, if the first non-option argument begins with a T_EX escape character (usually `\`), T_EX processes all non-option command-line arguments as a line of regular T_EX input. The backslash or other escape character usually has to be escaped to avoid being processed by your shell.

If no arguments or options are specified, T_EX prompts for an input filename with `**`. Whatever input is given in response to `**` is processed exactly like a command line not starting with an escape character, i.e., `\input` is prepended and then the entire line is processed as normal T_EX input.

Thus, the text of an input filename, as well as any text following a filename, is subject to T_EX’s normal macro expansion. As a result, a `~` character is normally not usable within a filename, since by default `~` is defined (in plain T_EX, L^AT_EX, etc.) to be an active character that expands into several primitive tokens that can’t be part of a filename. As a special case in Web2c, a `~` *beginning* a filename refers to a user’s home directory (see

Section 4.5.3 [\input filename caveats], page 16), but you still have to arrange for T_EX to see a ‘~’ character rather than the expansion of ‘~’.

To summarize the usual cases (in all these cases, `tex` also reads `tex.fmt` before starting any processing):

- ‘`tex foo`’ executes ‘`\input foo`’.
- ‘`tex foo bar`’ executes ‘`\input foo bar`’, which inputs `foo.tex` and then typesets ‘`bar`’.
- ‘`tex \end`’ executes ‘`\end`’; here the double backslash is one common way of escaping the backslash for the shell. T_EX only sees one backslash.
- ‘`tex`’ with no arguments prints a ‘`**`’ prompt. Entering ‘`foo bar`’ at the ‘`**`’ prompt again executes ‘`\input foo`’ and typesets ‘`bar`’.

T_EX writes its main output, a DVI file, to `basetexname.dvi`, where *basetexname* is the basename of *texname*, or ‘`texput`’ if no input file was specified.

A DVI file is a device-independent binary representation of your document. You can translate the DVI file, using independent programs, to whatever may be needed, such as a PDF file (see `dvipdfmx(1)`), a PostScript file (see Section “Introduction” in *Dvips*), an SVG file (see `dvisvgm(1)`), etc. There are also variants of T_EX that can produce PDF files directly, namely pdfT_EX and LuaT_EX (see Section 5.7 [TeX extensions], page 26).

The program accepts the following options, as well as the standard ‘`-help`’ and ‘`-version`’ (see Section 3.2 [Common options], page 7):

- ‘`-enc`’
- ‘`-[no]-file-line-error`’
- ‘`-fmt=fmtname`’
- ‘`-halt-on-error`’
- ‘`-ini`’
- ‘`-interaction=string`’
- ‘`-ipc`’
- ‘`-ipc-start`’
- ‘`-jobname=string`’
- ‘`-kpathsea-debug=number`’
- ‘`-[no]parse-first-line`’
- ‘`-output-directory`’
- ‘`-progname=string`’
- ‘`-recorder`’
- ‘`-translate-file=tcxfile`’
- ‘`-8bit`’ These options are common to T_EX, Metafont, and MetaPost. See Section 3.2 [Common options], page 7.
- ‘`-enc`’ Enable encT_EX extensions, such as `\mubyte`. This can be used to support the Unicode UTF-8 input encoding, although using an engine with native Unicode support is more common nowadays. <http://www.olsak.net/enc tex.html>.

‘-ipc’

‘-ipc-start’

With either option, T_EX writes its DVI output to a socket as well as to the usual .dvi file. With ‘-ipc-start’, T_EX also opens a server program at the other end to read the output. See Section 5.6 [IPC and T_EX], page 26.

These options are available only if the ‘--enable-ipc’ option was specified to `configure` during installation of Web2c.

‘-mktex=filename’

‘-no-mktex=filename’

Turn on or off the ‘mktex’ script associated with *filename*. For T_EX proper, *filename* can only be ‘tex’ and ‘tfm’, but for pdfT_EX and LuaT_EX, it can also be ‘pk’.

‘-mltex’ If we are INITEX (see Section 4.2 [Initial and virgin], page 12), enable MLT_EX extensions such as `\charsubdef`. Implicitly set if the program name is `mltex`. See Section 5.4.1 [MLT_EX], page 22.

‘-output-comment=string’

Use *string* as the DVI file comment. Ordinarily, this comment records the date and time of the T_EX run, but if you are doing regression testing, you may not want the DVI file to have this spurious difference. This is also taken from the environment variable and config file value ‘output_comment’.

‘-shell-escape’

‘-no-shell-escape’

‘-shell-restricted’

Enable, or disable, or enable with restrictions the `\write18{shell-command}` feature for external execution of shell commands. See Section 5.5 [Shell escapes], page 25.

‘-enable-write18’

‘-disable-write18’

Synonyms for `-shell-escape` and `-no-shell-escape`, for compatibility with MiK_T_EX. (MiK_T_EX also accepts both pairs of options.) See Section 5.5 [Shell escapes], page 25.

‘-src-specials’

‘-src-specials=string’

This option makes T_EX output specific source information using ‘`\special`’ commands in the DVI file. These ‘`\special`’ track the current filename and line number.

Using the first form of this option, the ‘`\special`’ commands are inserted automatically.

In the second form of the option, *string* is a comma separated list of the following values: ‘cr’, ‘display’, ‘hbox’, ‘math’, ‘par’, ‘parend’, ‘vbox’. You can use this list to specify where you want T_EX to output such commands. For example, ‘-src-specials=cr,math’ will output source information every line and every math formula.

These commands can be used with the appropriate DVI viewer and text editor to switch from the current position in the editor to the same position in the viewer and back from the viewer to the editor.

This option works by inserting ‘\special’ commands into the token stream, and thus in principle these additional tokens can be recovered or seen by the tricky-enough macros. If you run across a case, let us know, because this counts as a bug. However, such bugs are very hard to fix, requiring significant changes to T_EX, so please don’t count on it.

Redefining ‘\special’ will not affect the functioning of this option. The commands inserted into the token stream are hard-coded to always use the ‘\special’ primitive.

T_EX does not pass the TRIP test when this option is enabled.

Other input and output that can happen:

- T_EX also reads TFM files for any fonts you load in your document with the `\font` primitive. By default, it runs an external program named `mktexfm` to create any nonexistent TFM files. You can disable this at configure-time or runtime (see Section “mktex configuration” in *Kpathsea*).
- T_EX can write output files, via the `\openout` primitive. This raises the possibility of a Trojan horse attack: an unwitting user could run a T_EX program that overwrites, say, `$HOME/.ssh/authorized_keys`. (MetaPost has a `write` primitive with similar implications.)

To alleviate this and similar problems, the functions `kpathsea_out_name_ok` and `kpathsea_in_name_ok` from the *Kpathsea* library (see Section “Calling sequence” in *Kpathsea*) are used to determine if a given filename is acceptable to be opened for output or input, depending on the setting of the configuration variables `openout_any` and `openin_any`: ‘a’ (for “any”, the default for `openin_any`), ‘r’ (for “restricted”), or ‘p’ (for “paranoid”, the default for `openout_any`).

In any case, all `\openout` filenames are recorded in the log file, except those opened on the first line of input, which is processed before the log file has been opened.

5.2 Initial T_EX

The *initial* form of T_EX is invoked by ‘`tex -ini`’. It does lengthy initializations avoided by the “virgin” (`vir`) form, so as to be capable of dumping ‘.fmt’ files (see Section 4.3 [Memory dumps], page 12). For a detailed comparison of virgin and initial forms, see Section 4.2 [Initial and virgin], page 12.

For a list of options and other information, see Section 5.1 [tex invocation], page 17.

Unlike Metafont and MetaPost, many format files are commonly used with T_EX. The standard one implementing the features described in *The T_EXbook* is ‘`plain.fmt`’, also known as ‘`tex.fmt`’ (again, see Section 4.3 [Memory dumps], page 12). It is created by default during installation, but you can also do so by hand if necessary:

```
tex -ini '\input plain \dump'
```

(The quotes prevent interpretation of the backslashes from the shell.) Then put the resulting `plain.fmt` where T_EX will find it, and link `tex.fmt` to it. Any existing `tex.fmt` can be found with the invocation:


```
kpsewhich --all --engine=/ tex.fmt
```

See Section 5.3 [Formats], page 21, for more details on T_EX formats.

5.3 Formats

T_EX *formats* are large collections of macros, often dumped into a `.fmt` file (see Section 4.3 [Memory dumps], page 12) by `tex -ini` (see Section 5.2 [Initial TeX], page 20). A number of formats are in reasonably widespread use. The formats are generally selected, installed, and updated as part of a larger T_EX distribution, such as T_EX Live (<https://tug.org/texlive>).

latex The most widely used format, called L^AT_EX, based on L^AT_EX2e and also incorporating L^AT_EX3; new versions are released approximately every six months, with patches issued as needed. The old release was called ‘L^AT_EX 2.09’, and is no longer maintained or supported, though compatibility for 2.09 documents is retained. L^AT_EX attempts to provide generic markup instructions, such as “emphasize”, instead of specific typesetting instructions, such as “use the 10pt Computer Modern italic font”. The L^AT_EX home page: <https://www.latex-project.org>.

latex-dev A set of formats and executables made so that anyone interested can easily help test upcoming L^AT_EX releases. They correspond to new formats which have been tested by the L^AT_EX team for stability and usability. Testing by as many users as possible is desired and requested. Simply changing the regular engine name (e.g., `pdflatex`), to have a `-dev` suffix (`pdflatex-dev`) in your invocations is all that should be needed. No changes to source documents should be required.

context ConT_EXt is an independent macro package which also supports a document structuring approach. It can also create interactive PDF files and has an integrated MetaPost library for graphics, among many other advanced features. It uses its own engine, LuaMetaT_EX, developed in tandem. The ConT_EXt home page: <http://www.pragma-ade.com>.

eplain An “expanded plain” format that provides various common features (e.g., symbolic cross-referencing, tables of contents, indexing, citations using BibT_EX), for those authors who prefer to handle their own high-level formatting. The Eplain home page: <https://tug.org/eplain>.

texinfo The documentation system developed and maintained by the Free Software Foundation for their software manuals. It can be automatically converted into HTML, plain text, a machine-readable online format called Info, etc. The Texinfo home page: <https://www.gnu.org/software/texinfo>.

amstex This was the official typesetting system of the American Mathematical Society; nowadays, the AMS recommends authors use L^AT_EX; the AMS provides a number of L^AT_EX packages important for math typesetting. The AMS’s T_EX page: <https://www.ams.org/tex>.

slitex An obsolete L^AT_EX 2.09 format for making slides. In core L^AT_EX2e, it is replaced by the ‘`slides`’ document class. As of 2025, the ‘`ltx-talk`’ class is also provided for typesetting presentations, including accessibility support: <https://>

ctan.org/pkg/ltx-talk. The ‘beamer’ package is perhaps the most commonly used method for making slides nowadays: <https://ctan.org/pkg/beamer>.

5.4 Languages and hyphenation

T_EX supports most natural languages. See also Section 5.7 [T_EX extensions], page 26.

5.4.1 MLT_EX: Multi-lingual T_EX

Multi-lingual T_EX (`mltex`) is an extension of T_EX originally written by Michael Ferguson and now updated and maintained by Bernd Raichle. With the advent of Unicode, it has become obsolete, though it is still supported in Web2c in the event of bugs or compilation bugs.

MLT_EX allows the use of non-existing glyphs in a font by declaring glyph substitutions. These are restricted to substitutions of an accented character glyph, which need not be defined in the current font, by its appropriate `\accent` construction using a base and accent character glyph, which do have to exist in the current font. This substitution is automatically done behind the scenes, if necessary, and thus MLT_EX additionally supports hyphenation of words containing an accented character glyph for fonts missing this glyph (e.g., Computer Modern). Standard T_EX suppresses hyphenation in this case.

MLT_EX works at `.fmt`-creation time: the basic idea is to specify the ‘`-mltex`’ option to T_EX when you `\dump` a format. Then, when you subsequently invoke T_EX and read that `.fmt` file, the MLT_EX features described below will be enabled.

Generally, you use special macro files to create an MLT_EX `.fmt` file.

The sections below describe the two new primitives that MLT_EX defines. Aside from these, MLT_EX is completely compatible with standard T_EX.

5.4.1.1 `\charsubdef`: Character substitutions

The most important primitive MLT_EX adds is `\charsubdef`, used in a way reminiscent of `\chardef`:

```
\charsubdef composite [=] accent base
```

Each of *composite*, *accent*, and *base* are font glyph numbers, expressed in the usual T_EX syntax: ‘`\e`’ symbolically, ‘145’ for octal, ‘65’ for hex, 101 for decimal.

MLT_EX’s `\charsubdef` declares how to construct an accented character glyph (not necessarily existing in the current font) using two character glyphs (that do exist). Thus it defines whether a character glyph code, either typed as a single character or using the `\char` primitive, will be mapped to a font glyph or to an `\accent` glyph construction.

For example, if you assume glyph code 138 (decimal) for an e-circumflex (ê) and you are using the Computer Modern fonts, which have the circumflex accent in position 18 and lowercase ‘e’ in the usual ASCII position 101 decimal, you would use `\charsubdef` as follows:

```
\charsubdef 138 = 18 101
```

For the plain T_EX format to make use of this substitution, you have to redefine the circumflex accent macro `\^` in such a way that if its argument is character ‘e’ the expansion `\char138` is used instead of `\accent18 e`. Similar `\charsubdef` declaration and macro redefinitions have to be done for all other accented characters.

To disable a previous `\charsubdef c`, redefine `c` as a pair of zeros. For example:

```
\charsubdef '321 = 0 0 % disable N tilde
```

(Octal '321 is the ISO Latin-1 value for the Spanish N tilde.)

`\charsubdef` commands should only be given once. Although in principle you can use `\charsubdef` at any time, the result is unspecified. If `\charsubdef` declarations are changed, usually either incorrect character dimensions will be used or MLT_EX will output missing character warnings. (The substitution of a `\charsubdef` is used by T_EX when appending the character node to the current horizontal list, to compute the width of a horizontal box when the box gets packed, and when building the `\accent` construction at `\shipout`-time. In summary, the substitution is accessed often, so changing it is not desirable, nor generally useful.)

5.4.1.2 `\tracingcharsubdef`: Substitution diagnostics

To help diagnose problems with '`\charsubdef`', MLT_EX provides a new primitive parameter, `\tracingcharsubdef`. If positive, every use of `\charsubdef` will be reported. This can help track down when a character is redefined.

In addition, if the T_EX parameter `\tracinglostchars` is 100 or more, the character substitutions performed at `\shipout`-time will be recorded.

5.4.2 TCX files: Character translations

TCX (T_EX character translation) files help T_EX support direct input of 8-bit international characters if fonts containing those characters are being used. Specifically, they map an input (keyboard) character code to the internal T_EX character code (a superset of ASCII).

Of the various proposals for handling more than one input encoding, TCX files were chosen because they follow Knuth's original ideas for the use of the '`xchr`' and '`xord`' tables. He ventured that these would be changed in the WEB source in order to adjust the actual version to a given environment. It turns out, however, that recompiling the WEB sources is not as simple a task as Knuth may have imagined; therefore, TCX files, providing the possibility of changing of the conversion tables on on-the-fly, have been implemented instead.

This approach limits the portability of T_EX documents, as some implementations do not support it (or use a different method for input-internal reencoding). It may also be problematic to determine the encoding to use for a T_EX document of unknown provenance; in the worst case, failure to do so correctly may result in subtle errors in the typeset output. But we feel the benefits outweigh these disadvantages.

This is entirely independent of the MLT_EX extension (see Section 5.4.1 [MLT_EX], page 22): whereas a TCX file defines how an input keyboard character is mapped to T_EX's internal code, MLT_EX defines substitutions for a non-existing character glyph in a font with a `\accent` construction made out of two separate character glyphs. TCX files involve no new primitives; it is not possible to specify that an input (keyboard) character maps to more than one character.

Information on specifying TCX files:

- The best way to specify a TCX file is to list it explicitly in the first line of the main document:

```
%& -translate-file=tcxfile
```

- You can also specify a TCX file to be used on a particular T_EX run with the command-line option ‘`-translate-file=tcxfile`’.
- TCX files are searched for along the WEB2C path.
- Initial T_EX (see Section 5.2 [Initial T_EX], page 20) ignores TCX files.

The Web2c distribution comes with a number of TCX files. Two important ones are `il1-t1.tcx` and `il2-t1.tcx`, which support ISO Latin 1 and ISO Latin 2, respectively, with Cork-encoded fonts (a.k.a. the L^AT_EX T1 encoding). TCX files for Czech, Polish, and Slovak are also provided.

One other notable TCX file is `empty.tcx`, which is, well, empty. Its purpose is to reset Web2C’s behavior to the default (only visible ASCII being printable, as described below) when a format was dumped with another TCX being active—which is in fact the case for everything but plain T_EX in the TeX Live and other distributions. Thus:

```
latex somefile8.tex
⇒ terminal etc. output with 8-bit chars
latex --translate-file=empty.tcx somefile8.tex
⇒ terminal etc. output with ^^ notation
```

Syntax of TCX files:

1. Line-oriented. Blank lines are ignored.
2. Whitespace is ignored except as a separator.
3. Comments start with ‘%’ and continue to the end of the line.
4. Otherwise, a line consists of one or two character codes, optionally followed by 0 or 1. The last number indicates whether *dest* is considered printable.

```
src [dest [prnt]]
```

5. Each character code may be specified in octal with a leading ‘0’, hexadecimal with a leading ‘0x’, or decimal otherwise. Values must be between 0 and 255, inclusive (decimal).
6. If the *dest* code is not specified, it is taken to be the same as *src*.
7. If the same *src* code is specified more than once, it is the last definition that counts.

Finally, here’s what happens: when T_EX sees an input character with code *src*, it 1) changes *src* to *dest*; and 2) makes the *dest* code “printable”, i.e., printed as-is in diagnostics and the log file rather than in ‘^^’ notation.

By default, no characters are translated, and character codes between 32 and 126 inclusive (decimal) are printable.

Specifying translations for the printable ASCII characters (codes 32–127) will yield unpredictable results. Additionally you shouldn’t make the following characters printable: ^^I (TAB), ^^J (line feed), ^^M (carriage return), and ^^? (delete), since T_EX uses them in various ways.

Thus, the idea is to specify the input (keyboard) character code for *src*, and the output (font) character code for *dest*.

By default, only the printable ASCII characters are considered printable by T_EX. If you specify the ‘`-8bit`’ option, all characters are considered printable by default. If you specify both the ‘`-8bit`’ option and a TCX file, then the TCX can set specific characters to be non-printable.

Both the specified TCX encoding and whether characters are printable are saved in the dump files (like `tex.fmt`). So by giving these options in combination with `-ini`, you control the defaults seen by anyone who uses the resulting dump file.

When loading a dump, if the `-8bit` option was given, then all characters become printable by default.

When loading a dump, if a TCX file was specified, then the TCX data from the dump is ignored and the data from the file used instead.

5.4.3 Patgen: Creating hyphenation patterns

Patgen creates hyphenation patterns from dictionary files for use with T_EX. Synopsis:

```
patgen dictionary patterns output translate
```

Each argument is a filename. No path searching is done. The output is written to the file *output*.

In addition, Patgen prompts interactively for other values.

For more information, see *Word hy-phen-a-tion by com-put-er* by Frank Liang (see Appendix B [References], page 57), and also the `patgen.web` source file.

The only options are `-help` and `-version` (see Section 3.2 [Common options], page 7).

5.5 Shell escapes

T_EX can execute *shell escapes*, that is, arbitrary shell commands. Although tremendously useful, this also has obvious security implications. Therefore, as of T_EX Live 2009, a *restricted* mode for shell escapes is the default mode of operation, which allows executing only certain commands, as specified in the `texmf.cnf` configuration file.

- Unrestricted shell escapes are allowed if the option `--shell-escape` is specified, or if the environment variable or config file value `shell_escape` is set to `'t'` or `'y'` and `'1'`.
- Restricted shell escapes are allowed if `shell_escape` is set to `'p'`. This is the default.
- Shell escapes are completely disabled if `--no-shell-escape` is specified, or if `shell_escape` is set to anything else.

When enabled, the T_EX construct to execute a system command is `\write18{shell-command}`; for example:

```
\write18{echo "hello, world"}
```

From T_EX's point of view, this is a normal `\write` command, and is therefore subject to the usual T_EX expansions. Also, the system call either happens during the `\output` routine or right away, according to the absence or presence of the `\immediate` prefix, as usual for `\write`.

The *shell-command* string is passed to the command shell (via the C library function `system`). The output of *shell-command* is not diverted anywhere, so it will not appear in the log file, or anywhere but the terminal output. The exit status of the system call is also not available to T_EX.

In unrestricted mode, the argument is simply passed straight to `system` unaltered.

In restricted mode, ASCII double quote characters (`"`) should always be used in the argument to `\write18` where quoting of arguments is needed, as in the example above. This

is to achieve some measure of system independence. On Unix systems, these are replaced with single quote (') characters to avoid insecure further expansion (from, e.g., ``...``). Care is also taken on Windows to avoid additional expansions. Mismatched quotation marks in the command string result in a diagnostic message in the log file, and no execution is performed.

After quotation processing, if the first word (delimited by a space or tab) of the command is in the list specified by the `shell_escape_commands` configuration value, the command is executed. Otherwise it is not. In any case, a message is written to the log file.

The `shell_escape_commands` value is a comma-separated list of words. Whitespace is significant, and typically should not be present. The default definition in `texmf.cnf` looks like this, with more commands included:

```
shell_escape_commands = bibtex,kpsewhich,repstopdf,...
```

pdfT_EX and LuaT_EX support reading (via `\input` and `\openin`) and writing (via `\openout`) from pipes if the first character is '|'. The following command is then treated exactly the same as the argument to `\write18`. In these engines, the primitive variable `\pdfshellescape` is set to 0 if shell escapes are disabled, 1 if they are enabled, and 2 if they are enabled with restrictions.

The purpose of this feature is to make it possible for T_EX documents to perform useful external actions in the common case of an individual user running a known document on his or her own machine. In environments such as CGI scripts or wikis where the input has to be considered untrustworthy, shell escapes should be completely disabled.

Programs intended to be called from T_EX in restricted should implement the “paranoid” safety measures regarding output files that T_EX itself does. See Section “Calling sequence” in *Kpathsea*.

5.6 IPC and T_EX

(If anyone uses this feature and needs documentation, write `tex-k@tug.org`.)

This functionality is available only if the `--enable-ipc` option was specified to `configure` during installation of Web2c (see Chapter 2 [Installation], page 3).

If you define `IPC_DEBUG` before compilation (e.g., with `make XCFLAGS=-DIPC_DEBUG`), T_EX will print messages to standard error about its socket operations. This may be helpful if you are, well, debugging.

5.7 Extended T_EX engines

The base T_EX program has been extended in many ways.

There has been a substantial effort to make a set of extended functionality available across all actively-updated engines, so that formats, notably L^AT_EX, can rely on it. A list of this common extended functionality is in a L^AT_EX News article, <https://www.latex-project.org/news/latex2e-news/ltnews31.pdf>. For engines in T_EX Live, the detailed documentation for these primitives is mostly in the pdfT_EX manual (<https://pdfTeX.org>).

In addition, each engine (naturally) has its own particular features, described in its own manual. Here’s a partial list of the engines.

e-T _E X	Adds many new primitives, including right-to-left typesetting and more registers. Now frozen. More info: https://ctan.org/pkg/etex .
Aleph	This adds Unicode support, right-to-left typesetting, and more, based on the Omega engine, with the e-T _E X and other extensions. Aleph is maintained only for serious bug fixes and does not include the common functionality mentioned above. More info: https://ctan.org/pkg/aleph , https://ctan.org/pkg/omega .
pdfT _E X	Can produce PDF as well as DVI files. It also incorporates the e-T _E X extensions, new primitives for hypertext and micro-typography, reading/writing from pipes, and much more. In T _E X Live, the command <code>etex</code> invokes pdfT _E X to make all these additions available with DVI output. Home page: https://pdfTeX.org .
LuaT _E X	Embeds the Lua programming language (http://lua.org) and opens up the T _E X typesetting engine to control from Lua, starting from the pdfT _E X capabilities as a base. Also natively supports UTF-8 input, the OpenType and TrueType font formats, and use of system fonts. Home page: https://luatex.org .
XeT _E X	Combines support for Unicode input, the OpenType and TrueType font formats, and use of system fonts with the capabilities of pdfT _E X, with the exception of the font expansion part of micro-typography. Home page: https://tug.org/xetex .
hiT _E X	Outputs its own HINT format, which is designed for reading technical documents on mobile devices. More info: https://ctan.org/pkg/hitex .
pT _E X upT _E X	With additional support for Japanese; pT _E X was the original engine, and upT _E X has native Unicode support and thus is more useful for Chinese and Korean. More info: https://ctan.org/pkg/ptex , https://ctan.org/pkg/uptex .
epT _E X eupT _E X	Further extends pT _E X and upT _E X with the e-T _E X extensions. More info: https://ctan.org/pkg/eptex , https://ctan.org/pkg/euptex .

6 Metafont: Creating typeface families

Metafont is a system for producing shapes; it was designed for producing complete typeface families, but it can also produce geometric designs, dingbats, etc. And it has considerable mathematical and equation-solving capabilities which can be useful entirely on their own.

Metafont is a batch language, like C or Pascal: you compile a Metafont program into a corresponding font, rather than interactively drawing lines or curves. This approach has both considerable disadvantages (people unfamiliar with conventional programming languages will be unlikely to find it usable) and considerable advantages (you can make your design intentions specific and parameterizable). For a complete description of the Metafont language, see *The METAFONTbook* (see Appendix B [References], page 57).

6.1 mf invocation

Metafont (usually invoked as `mf`) reads character definitions specified in the Metafont programming language, and outputs the corresponding font. This section merely describes the options available in the Web2c implementation. For a complete description of the Metafont language, see *The Metafontbook* (see Appendix B [References], page 57).

Metafont processes its command line and determines its memory dump (base) file in a way exactly analogous to MetaPost and T_EX (see Section 5.1 [tex invocation], page 17, and see Section 4.3 [Memory dumps], page 12). Synopses:

```
mf [option]... [mfname[.mf]] [mf-commands]
mf [option]... \first-line
mf [option]... &base args
```

Most commonly, a Metafont invocation looks like this:

```
mf '\mode:=mode; mag:=magnification; input mfname'
```

(The single quotes avoid unwanted interpretation by the shell.)

Metafont searches the usual places for the main input file *mfname* (see Section “Supported file formats” in *Kpathsea*), extending *mfname* with `.mf` if necessary. To see all the relevant paths, set the environment variable `KPATHSEA_DEBUG` to `-1` before running the program. By default, Metafont runs an external program named `mktexmf` to create any nonexistent Metafont source files you input. You can disable this at configure-time or run-time (see Section “mktex configuration” in *Kpathsea*). This is mostly for the sake of the EC fonts, which can be generated at any size.

Metafont writes the main GF output to the file *basemfname.nnn*gf, where *nnn* is the font resolution in pixels per inch, and *basemfname* is the basename of *mfname*, or `mfput` if no input file was specified. A GF file contains bitmaps of the actual character shapes. Usually GF files are converted immediately to PK files with `GFtoPK` (see Section 11.2 [gftopk invocation], page 48), since PK files contain equivalent information, but are more compact. (Metafont output in GF format rather than PK for only historical reasons.)

Metafont also usually writes a metric file in TFM format to *basemfname.tfm*. A TFM file contains character dimensions, kerns, and ligatures, and spacing parameters. T_EX reads only this `.tfm` file, not the GF file.

The *mode* in the example command above is a name referring to a device definition (see Section 6.3 [Modes], page 30); for example, `localfont` or `ljfour`. These device definitions

must generally be precompiled into the base file. If you leave this out, the default is **proof** mode, as stated in *The Metafontbook*, in which Metafont outputs at a resolution of 2602 dpi; this is usually not what you want. The remedy is simply to assign a different mode—**localfont**, for example.

The *magnification* assignment in the example command above is a magnification factor; for example, if the device is 600 dpi and you specify **mag:=2**, Metafont will produce output at 1200 dpi. Very often, the *magnification* is an expression such as **magstep(.5)**, corresponding to a T_EX “magstep”, which are factors of $1.2\sqrt{2}$.

After running Metafont, you can use the font in a T_EX document as usual. For example:

```
\font\myfont = newfont
\myfont Now I am typesetting in my new font (minimum hamburgers).
```

The program accepts the following options, as well as the standard ‘**-help**’ and ‘**-version**’ (see Section 3.2 [Common options], page 7):

```
‘-[no]-file-line-error’
‘-fmt=fmtname’
‘-halt-on-error’
‘-ini’
‘-interaction=string’
‘-jobname=string’
‘-kpathsea-debug=number’
‘-[no]parse-first-line’
‘-output-directory’
‘-progname=string’
‘-recorder’
‘-translate-file=tcxfile’
```

‘**-8bit**’ These options are common to T_EX, Metafont, and MetaPost. See Section 3.2 [Common options], page 7.

```
‘-mktex=filetype’
‘-no-mktex=filetype’
```

Turn on or off the ‘**mktex**’ script associated with *filetype*. The only value that makes sense for *filetype* is ‘**mf**’.

6.2 Initial Metafont

inimf is the “initial” form of Metafont, which does lengthy initializations avoided by the “virgin” (**vir**) form, so as to be capable of dumping ‘**.base**’ files (see Section 4.3 [Memory dumps], page 12). For a detailed comparison of virgin and initial forms, see Section 4.2 [Initial and virgin], page 12.

For a list of options and other information, see Section 6.1 [mf invocation], page 28.

The only memory dump file commonly used with Metafont is the default ‘**plain.base**’, also known as ‘**mf.base**’ (again, see Section 4.3 [Memory dumps], page 12). It is created by default during installation, but you can also do so by hand if necessary:

```
mf -ini '\input plain; input modes; dump'
```

(The quotes prevent interpretation of the backslashes from the shell.) Then install the resulting **plain.base** where Metafont will find it, and link **mf.base** to it.

For an explanation of the additional `modes.mf` file, see Section 6.3 [Modes], page 30. This file has no counterpart in T_EX or MetaPost.

In the past, it was sometimes useful to create a base file `cmmf.base` (a.k.a. `cm.base`), with the Computer Modern macros also included in the base file. Nowadays, however, the additional time required to read `cmbase.mf` is exceedingly small, usually not enough to be worth the administrative hassle of updating the `cmmf.base` file when you install a new version of `modes.mf`. People developing a typeface with Metafont may find it worthwhile to create their own base file.

6.3 Modes: Device definitions for Metafont

Running Metafont and creating Metafont base files requires information that T_EX and MetaPost do not: *mode* definitions which specify device characteristics, so Metafont can properly rasterize the shapes.

When making a base file, a file containing modes for locally-available devices should be input after `plain.mf`. One commonly used file is `modes.mf` (<https://ctan.org/pkg/modes>); it includes all known definitions.

If, however, for some reason you have decreased the memory available in your Metafont, you may need to copy `modes.mf` and remove the definitions irrelevant to you (probably most of them) instead of using it directly. (Or, if you're a Metafont hacker, maybe you can suggest a way to redefine `mode_def` and/or `mode_setup`; right now, the amount of memory used is approximately four times the total length of the `mode_def` names, and that's a lot.)

If you have a device not included in `modes.mf`, please see comments in that file for how to create the new definition, and please send the definition to `tex-fonts@math.utah.edu` to get it included in the next release of `modes.mf`.

Usually, when you run Metafont you must supply the name of a mode that was dumped in the base file. But you can also define the mode characteristics dynamically, by invoking Metafont with an assignment to `smode` instead of `mode`, like this:

```
mf '\smode:="newmode.mf"; mag:=magnification; input mfname'
```

This is most useful when you are working on the definition of a new mode.

The *magnification* and *mfname* arguments are explained in Section 6.1 [mf invocation], page 28. In the file `newmode.mf`, you should have the following (with no `mode_def` or `enddef`), if you are using `modes.mf` conventions:

```
mode_param (pixels_per_inch, dpi);
mode_param (blacker, b);
mode_param (fillin, f);
mode_param (o_correction, o);
mode_common_setup_;
```

(Of course, you should use real numbers for *dpi*, *b*, *f*, and *o*.)

For more information on the use of `smode`, or if you are not using `modes.mf`, see page 269 of *The Metafontbook*.

6.4 Online Metafont graphics

The Web2c implementation of Metafont can do online graphics with a number of devices. (See *The Metafontbook* for more information about how to draw on your screen.) The default graphics support is determined at compile time.

The two Kpathsea configuration variables `screen_width` and `screen_depth` define the width and height of the window used by Metafont. They can be set in the environment or a Kpathsea configuration file (see Section “path sources” in *kpathsea*). They default to 1664 and 1200, respectively.

Metafont examines the `MFTERM` environment variable or config file value at runtime, or the `TERM` environment variable if `MFTERM` is not set, to determine the device support to use. Some devices are system-specific and not always available.

If `MFTERM` is not set, but the `DISPLAY` environment variable is set (to a valid X server specification like `:0`), the Metafont window support for X is used, assuming it was detected and included at compile time.

Here is a table of the possibilities, showing the `MFTERM` value and the corresponding `configure` option(s) in parentheses.

<code>amiga</code>	(<code>--enable-amigawin</code>) Amiga systems.
<code>epsf</code>	(<code>--enable-epsfwin</code>) Pseudo-window server for Encapsulated PostScript (see <code>web2c/window/epsf.c</code>). This device produces an EPS file containing the graphics which would be displayed online on other devices. The name of the EPS file defaults to <code>metafont.eps</code> but can be changed by setting the <code>MFEPSPF</code> environment variable to the new filename. Contributed by Mathias Herberts.
<code>hp2627</code>	(<code>--enable-hp2627win</code>) HP2627a color graphics terminals.
<code>mftalk</code>	(<code>--enable-mftalkwin</code>) Generic window server (see <code>web2c/window/mftalk.c</code>).
<code>next</code>	(<code>--enable-nextwin</code>) NeXT window system. This requires a separate program, called <code>DrawingServant</code> , available separately. See the <code>web2c/window/next.c</code> .
<code>regis</code>	(<code>--enable-regiswin</code>) Regis terminals.
<code>sun</code>	(<code>--enable-suntoolswin</code>) The old Suntools (not any flavor of X) window system. (You can get the even older SunWindows <code>gfx</code> system with <code>sun-gfx.c</code> .)
<code>tek</code>	(<code>--enable-tektronixwin</code>) Tektronix terminals.
<code>uniterm</code>	(<code>--enable-unitermwin</code>) Uniterm, Simon Poole’s emulator of a smart Tektronix 4014 terminal. This may work with regular Tektronix terminals as well; it’s faster than the driver <code>--enable-tektronixwin</code> selects.
<code>win32win</code>	Microsoft Windows.
<code>xterm</code>	<code>--with-x</code> The X window system (version 11). There are two variants of the X11 support, one that works with the Xt toolkit (<code>X11-Xt.c</code>), and another that works directly with Xlib (<code>X11-Xlib.c</code>). If <code>--with-mf-x-toolkit</code> is specified when building Metafont, the Xt version is used, else Xlib.

Specify ‘`--disable-mf-nowin`’ in order not to build a separate non-windows-capable Metafont executable `mf-nowin`.

You cannot specify any of the usual X options (e.g., ‘`-geometry`’) on the Metafont command line, but you can specify X resources in your `~/.Xdefaults` or `~/.Xresources` file. The class name is `Metafont`. If you’re using the Xt support, all the usual X toolkit resources are supported. If you’re using the Xlib support, only the `geometry` resource is supported.

You specify the X display to which Metafont connects in the `DISPLAY` environment variable, as usual.

Writing support for a new device is straightforward. Aside from defining the basic drawing routines that Metafont uses (see `mf.web`), you only have to add another entry to the tables on the last page of `web2c/lib/texmfmp.c`. Or you can write an independent program and use `MFTalk` (see `web2c/window/mftalk.c`).

6.5 GFtoDVI: Character proofs of fonts

GFtoDVI makes *proof sheets* from a GF bitmap file as output by, for example, Metafont (see Chapter 6 [Metafont], page 28). This is an indispensable aid for font designers or Metafont hackers. Synopsis:

```
gftodvi [option]... gfname[gf]
```

The font *gfname* is searched for in the usual places (see Section “Glyph lookup” in *Kpathsea*). To see all the relevant paths, set the environment variable `KPATHSEA_DEBUG` to ‘`-1`’ before running the program.

The suffix ‘`gf`’ is supplied if not already present. This suffix is not an extension, no ‘`.`’ precedes it; for instance, `cmr10.600gf`.

The output filename is the basename of *gfname* extended with `.dvi`, e.g., ‘`gftodvi/wherever/foo.600gf`’ creates `./foo.dvi`.

The characters from *gfname* appear one per page in the DVI output, with labels, titles, and annotations, as specified in Appendix H (Hardcopy Proofs) of *The Metafontbook*.

GFtoDVI uses several fonts besides *gfname* itself:

- *gray font* (default `gray`): for the pixels that make up the character. Simply using black is not right, since then labels, key points, and other information could not be shown.
- *title font* (default `cmr8`): for the header information at the top of each output page.
- *label font* (default `cmtt10`): for the labels on key points of the figure.
- *slant font* (no default): for diagonal lines, which are otherwise simulated using horizontal and vertical rules.

To change the default fonts, you must use `special` commands in your Metafont source file, typically via commands like `slantfont slantlj4`. There is no default slant font since no one printer is suitable as a default. You can make your own by copying one of the existing files, such as `.../fonts/source/public/misc/slantlj4.mf` and then running `mf` on it.

For testing purposes, you may find it useful to run `mf-nowin rtest` (hit RETURN when it stops) to get a `gf` file of a thorn glyph. Or use `mf` instead of `mf-nowin` to have the glyph(s)

displayed on the screen. After that, `gftodvi rtest.2602gf` should produce `rtest.dvi`, which you process as usual.

The program accepts the following option, as well as the standard ‘`-verbose`’, ‘`-help`’, and ‘`-version`’ (see Section 3.2 [Common options], page 7):

‘`-overflow-label-offset=points`’

Typeset the so-called overflow labels, if any, *points* T_EX points from the right edge of the character bounding box. The default is a little over two inches (ten million scaled points, to be precise). Overflow equations are used to locate coordinates when their actual position is too crowded with other information.

6.6 MFT: Prettyprinting Metafont source

MFT translates a Metafont or MetaPost program into a T_EX document suitable for typesetting. Synopsis:

```
mft [option]... sourcename[.mf|.mp]
```

MFT searches the usual places for *sourcename* (see Section “Supported file formats” in *Kpathsea*). To see all the relevant paths, set the environment variable `KPATHSEA_DEBUG` to ‘`-1`’ before running the program. The output goes to the basename of *sourcename* extended with `.tex`, e.g., ‘`mft /wherever/foo.mf`’ creates `./foo.tex`.

The output uses the T_EX macros defined in the file `mftmac.tex` (for Metafont) or `mptmac.tex` (for MetaPost).

Line breaks in the input are carried over into the output; moreover, blank spaces at the beginning of a line are converted to quads of indentation in the output. Thus, you have full control over the indentation and line breaks. Each line of input is translated independently of the others.

Further control is allowed via comments:

- Metafont/MetaPost comments following a single ‘`%`’ should be valid T_EX input. But Metafont/MetaPost source material can be included within vertical bars in a comment; this will be translated by MFT as if it were regular code. For example, a Metafont comment like ‘`% |x2r| is the tip of the bowl`’ will be translated into the T_EX ‘`% x_{2r} is the ...`’, i.e., the ‘`x2r`’ is treated as an identifier.
- ‘`%%`’ indicates that the remainder of an input line should be copied verbatim to the output. This is typically used to introduce additional T_EX material at the beginning or an MFT job, e.g. code to modify the standard layout or the formatting macros defined in `mftmac.tex`, or to add a line saying ‘`%%\bye`’ at the end of the job. (MFT doesn’t add this automatically in order to allow processing several files produces by MFT in the same T_EX job.)
- ‘`%% token1 other-tokens`’ introduces a change in MFT’s formatting rules; all the *other-tokens* will henceforth be translated according to the current conventions for *token1*. The tokens must be symbolic (i.e., not numeric or string tokens). For example, the input line

```
%% addto fill draw filldraw
```

says to format the ‘`fill`’, ‘`draw`’, and ‘`filldraw`’ operations of plain Metafont just like the primitive token ‘`addto`’, i.e., in boldface type. Without such reformatting

commands, MFT would treat ‘`fill`’ like an ordinary tag or variable name. In fact, you need a ‘`%%`’ command even to get parentheses to act like delimiters.

- ‘`%%`’ introduces an MFT comment, i.e., MFT ignores the remainder of such a line.
- Five or more ‘`%`’ signs should not be used.

(The above description was based on that in `mft.web`, written by Donald Knuth.)

The program accepts the following options, as well as the standard ‘`-help`’ and ‘`-version`’ (see Section 3.2 [Common options], page 7):

‘`-change=chfile[.ch]`’

Apply the change file *chfile* as with Tangle and Weave (see Chapter 9 [WEB], page 40).

‘`-metapost`’

Force interpretation of the input as MetaPost; this is the default of the filename extension is ‘`.mp`’.

‘`-style=mftfile[.mft]`’

Read *mftfile* before anything else; a MFT style file typically contains only MFT directives as described above. The default style file is `plain.mft` (for Metafont) or `mplain.mft` (for MetaPost). MFT files are searched along the MFTINPUTS path (see Section “Supported file formats” in *Kpathsea*).

Other examples of MFT style files are `cmbase.mft`, which defines formatting rules for the macros defined in `cm.base`, and `e.mft`, which was used in the production of Knuth’s Volume E, *Computer Modern Typefaces*.

Using an appropriate MFT style file, it is also possible to configure MFT for typesetting MetaPost sources. However, MFT does not search the usual places for MetaPost input files.

If you use eight-bit characters in the input file, they are passed on verbatim to the \TeX output file; it is up to you to configure \TeX to print these properly.

7 MetaPost: Generating PostScript

MetaPost is a picture-drawing language similar to Metafont (see Chapter 6 [Metafont], page 28), but instead of outputting bitmaps in a “font”, it outputs PostScript commands. It’s primarily intended for creating technical illustrations, but can also be used to create PostScript or OpenType fonts (<https://ctan.org/pkg/metatype1>).

MetaPost also provides for arbitrary integration of text and graphics in a natural way, using any typesetter (T_EX and Troff are both supported) and a number of other subsidiary programs, described below.

7.1 mpost invocation

MetaPost (installed as `mpost`) reads a series of pictures specified in the MetaPost programming language, and outputs corresponding PostScript code. This section merely describes the options available in the Web2c implementation. For a complete description of the MetaPost language, see AT&T technical report CSTR-162, generally available in `texmf/doc/metapost/`, where `texmf` is the root of T_EX directory structure. The MetaPost home page: <https://tug.org/metapost>.

Also, a standard MetaPost package for drawing graphs is documented in AT&T technical report CSTR-164, available as the file `mpgraph.ps`, generally stored alongside `mpman.ps`.

MetaPost processes its command line in a way analogous to Metafont and T_EX (see Section 5.1 [tex invocation], page 17). Synopses:

```
mpost [option]... [mpname[.mp]] [mp-commands]
mpost [option]... \first-line
mpost [option]... &mem args
```

MetaPost searches the usual places for the main input file `mpname` (see Section “Supported file formats” in *Kpathsea*), extending `mpname` with `.mp` if necessary. To see all the relevant paths, set the environment variable `KPATHSEA_DEBUG` to ‘-1’ before running the program.

MetaPost writes its PostScript output to a series of files `basempname.nnn` (or perhaps `basempname.ps`, very occasionally `basempname.tfm`), where `nnn` are the figure numbers specified in the input, typically to the `beginfig` macro, and `basempname` is the basename of `mpname`, or ‘`mpout`’ if no input file was specified. MetaPost uses the ‘`.ps`’ extension when the figure number is out of range, e.g., if you say `beginfig(-1)`.

You can use the output files as figures in a T_EX document just as with any other PostScript figures. For example, with this T_EX command:

```
\special{psfile="filename"}
```

or by using `epsf.tex` (see Section “EPSF macros” in *Dvips*).

The MetaPost construct

```
btex ... tex-input ... etex
```

generates a MetaPost picture expression corresponding to `tex-input`.

The construct

```
verbatimtex ... tex-input ... etex
```

simply passes the *tex-input* through to \TeX . For example, if you are using \LaTeX , your MetaPost input file must start with a `verbatimtex` block that gives the necessary `\documentclass` (or `\documentstyle`) `\begin{document}` command. You will also need to set the environment variable `TEX` to `'latex'`.

tex-input need not be specifically \TeX input; it could also be Troff. In that case, you will need the `'-m pictures'` Troff macro package (unfortunately absent from many Troff implementations), or an equivalent such as the `'-m pspic'` macros from GNU groff described in `grops(1)`.

Naturally, you must use fonts that are supported by the typesetter; specifically, you'll probably want to use standard PostScript fonts with Troff. And only the \TeX system understands Computer Modern or other Metafont fonts; you can also use PostScript fonts with \TeX , of course.

MetaPost-generated PostScript figures which do use Computer Modern fonts for labels cannot be directly previewed or printed. Instead, you must include them in a \TeX document and run the resulting DVI file through `Dvips` to arrange for the downloading of the required fonts (see Section "Fonts in figures" in *Dvips*). To help with this, the MetaPost distribution provides a small \TeX file `mproof.tex` which is typically called as:

```
tex mproof mp-output-files... ; dvips mproof -o
```

The resulting file `mproof.ps` can then be printed or previewed.

To generate EPSF files, set the internal MetaPost variable `prologues` positive. To make the output files self-contained, use only standard PostScript fonts. MetaPost reads the same `psfonts.map` file as `Dvips`, to determine PostScript fonts that need to be downloaded (see Section "psfonts.map" in *Dvips*).

It is possible for `pdf \TeX` to read MetaPost output directly; this is in contrast to general EPSF files, which have to be converted for use with PDF output. The easiest way is to name the MetaPost output files with the `.mps` extension. Then the \LaTeX `\includegraphics` command, for example, will be able to read them, even when outputting PDF.

MetaPost can write output files, via the `write` primitive; this opens a security hole. See Section 5.1 [tex invocation], page 17.

The program accepts the following options, as well as the standard `'-help'` and `'-version'` (see Section 3.2 [Common options], page 7):

```
'-[no]-file-line-error'
'-halt-on-error'
'-ini'
'-interaction=string'
'-jobname=string'
'-kpathsea-debug=number'
'-[no]parse-first-line'
'-output-directory'
'-progname=string'
'-recorder'
'-translate-file=tcxfile'
```

`'-8bit'` These options are common to \TeX , Metafont, and MetaPost. See Section 3.2 [Common options], page 7.

- `'-debug'` Print debugging information and leave temporary files in place.
- `'-mem=MPFILE'`
 Preload *MPFILE* instead of via the program name of `%&` line. This is a MetaPost source file; MetaPost no longer has binary mem files.
- `'-numbersystem=string'`
 Set number system mode where *string* is one of: `scaled double binary interval decimal`.
- `'-restricted'`
 Be secure: disable the `tex`, `makempx` and editor commands.
- `'-s internal=value'`
 Set *INTERNAL* to *VALUE*, a string or integer.
- `'-T'`
- `'-troff'` Set the `prologues` internal variable to 1.
- `'-tex=texprogram'`
 When this option is given, the program *texprogram* is used to typeset the labels.

7.2 Initial MetaPost

As of MetaPost 1.504 (T_EX Live 2011), MetaPost no longer dumps `.mem` files (see Section 4.3 [Memory dumps], page 12) and does not distinguish virgin and initial forms (see Section 4.2 [Initial and virgin], page 12). Instead, the “initial” file name is read in its source form—that is, `mpost.mp` when the program is invoked as `mpost`. This is considered to be “preloading” the source.

For a list of options and other information, see Section 7.1 [mpost invocation], page 35.

MetaPost provides a format with all the features of plain Metafont, called `mfplain`. You can use that in the same way; just run `mfplain` instead of `mpost`. This lets you directly process Metafont source files with MetaPost, producing character proofs (one file for each character) similar to those produced with Metafont in proof mode and G_FtoD_VI (see Section 6.5 [gftodvi invocation], page 32).

7.3 DVItMP: DVI to MPX conversion

DVItMP converts DVI files into low-level MetaPost commands in a so-called MPX file. Synopsis:

```
dvitomp dvifile[.dvi] [mpxfile[.mpx]]
```

If *mpxfile* is not specified, the output goes to the basename of *dvifile* extended with `.mpx`, e.g., `'dvitomp /wherever/foo.dvi'` creates `./foo.mpx`.

DVItMP supports Dvips-style color specials, such as `'color push name'` and `'color pop'`, outputting them as `withcolor` MetaPost commands.

The only options are `'-help'` and `'-version'` (see Section 3.2 [Common options], page 7).

8 BibTeX: Bibliographies

BibTeX automates much of the job of typesetting bibliographies, and makes bibliography entries reusable in many different contexts.

8.1 BibTeX invocation

BibTeX creates a printable bibliography (`.bbl`) file from references in a `.aux` file, generally written by TeX or LaTeX. The `.bbl` file is then incorporated on a subsequent run. The basic bibliographic information comes from `.bib` files, and a BibTeX style (`.bst`) file controls the precise contents of the `.bbl` file. Synopsis:

```
bibtex [option]... auxfile[.aux]
```

The output goes to the basename of *auxfile* extended with `.bbl`; for example, `'bibtex /wherever/foo.aux'` creates `./foo.bbl`. BibTeX also writes a log file to the basename of *auxfile* extended with `.blg`.

The names of the `.bib` and `.bst` files are specified in the `.aux` file as well, via the `\bibliography` and `\bibliographystyle` (La)TeX macros. BibTeX searches for `.bib` files using the BIBINPUTS and TEXBIB paths, and for `.bst` files using BSTINPUTS (see Section “Supported file formats” in *Kpathsea*). It does no path searching for `.aux` files.

The program accepts the following options, as well as the standard `‘-help’` and `‘-version’` (see Section 3.2 [Common options], page 7):

`‘-terse’` Suppress the program banner and progress reports normally output.

`‘-min-crossrefs=n’`

If at least n (2 by default) bibliography entries refer to another entry e via their `crossref` field, include e in the `.bbl` file, even if it was not explicitly referenced in the `.aux` file. For example, e might be a conference proceedings as a whole, with the cross-referencing entries being individual articles published in the proceedings.

If you want to avoid these automatic inclusions altogether, make n a sufficiently large number, and be sure to remove any previous `.aux` and `.bbl` files. Otherwise the option may appear to have no effect, since BibTeX will have added the citation for e to the `.aux`, and nothing will remove it.

See also:

`btxdoc.tex`

Basic LaTeXable documentation for general BibTeX users.

`btXHak.tex`

LaTeXable documentation for style designers.

`btXdoc.bib`

BibTeX database file for the two above documents.

`xampl.bib`

Example database file with all the standard entry types.

`ftp://ftp.math.utah.edu/pub/tex/bib/`

A very large `.bib` and `.bst` collection, including references for all the standard TeX books and a complete bibliography for TUGboat.

8.2 Basic BibTeX style files

Here are descriptions of the four standard and four semi-standard basic BibTeX styles. *CTAN:/biblio/bibtex* contains these and many more (for CTAN info, see Section “unix-tex.ftp” in *Kpathsea*).

plain	Sorts entries alphabetically, with numeric labels. Generally formatted according to van Leunen’s <i>A Handbook for Scholars</i> . The other style files listed here are based on plain .
abbrv	First names, month names, and journal names are abbreviated.
acm	Names are printed in small caps.
alpha	Alphanumeric labels, e.g., ‘Knu66’.
apalike	No labels at all; instead, the year appears in parentheses after the author. Use this in conjunction with apalike.tex (plain TeX) or apalike.sty (LaTeX), which also changes the citations in the text to be ‘(author, year)’.
ieeetr	Numeric labels, entries in citation order, IEEE abbreviations, article titles in quotes.
siam	Numeric labels, alphabetic order, <i>Math. Reviews</i> abbreviations, names in small caps.
unsrc	Lists entries in citation order, i.e., unsorted.
btbst.doc	The template file and documentation for the standard styles.

9 WEB: Literate programming

WEB languages allow you to write a single source file that can produce both a compilable program and a well-formatted document describing the program in as much detail as you wish to prepare. Writing in this kind of dual-purpose language is called *literate programming*. (The Usenet newsgroup `comp.programming.literate` is devoted to this subject.)

WEB-like languages have been implemented with many pairs of base languages: Cweb provides C and Troff (see Appendix B [References], page 57); CWEB provides C and T_EX (`CTAN:/web/c_cpp/cweb`); Spiderweb provides C, C++, Awk, Ada, many others, and T_EX (`CTAN:/web/spiderweb`); and, of course, the original WEB provides Pascal and T_EX, the implementation languages for the original T_EX, Metafont, MetaPost, and related programs to come from the T_EX project at Stanford.

Knuth's original WEB language is documented in the file `webman.tex`, available as a formatted pdf in the `knuth-pdf` page (<https://ctan.org/pkg/knuth-pdf>).

9.1 Tangle: Translate WEB to Pascal

Tangle creates a compilable Pascal program from a WEB source file (see Chapter 9 [WEB], page 40). Synopsis:

```
tangle [option]... webfile[.web] [changefile[.ch]]
```

The Pascal output is written to the basename of *webfile* extended with `.p`; for example, `'tangle /wherever/foo.web'` creates `./foo.p`. Tangle applies *changefile* to *webfile* before writing the output; by default, there is no change file.

If the program makes use of the WEB string facility, Tangle writes the string pool to the basename of *webfile* extended with `.pool`.

The Pascal output is packed into lines of 72 characters or less, with the only concession to readability being the termination of lines at semicolons when this can be done conveniently.

The program accepts the following options, as well as the standard `--help` and `--version` (see Section 3.2 [Common options], page 7):

`'-length=number'`

The number of characters that are considered significant in an identifier. Whether underline characters are counted depends on the `'-underline'` option. The default value is 32, the original tangle used 7, but this proved too restrictive for use by Web2c.

`'-lowercase'`

`'-mixedcase'`

`'-uppercase'`

These options specify the case of identifiers in the output of tangle. If `'-uppercase'` (`'-lowercase'`) is specified, tangle will convert all identifiers to uppercase (lowercase). The default is `'-mixedcase'`, which specifies that the case will not be changed.

`'-underline'`

When this option is given, tangle does not strip underline characters from identifiers.

‘-loose’
 ‘-strict’ These options specify how strict tangle must be when checking identifiers for equality. The default is ‘-loose’, which means that tangle will follow the rules set by the case-smashing and underline options above. If ‘-strict’ is set, then identifiers will always be stripped of underlines and converted to uppercase before checking whether they collide.

9.2 Weave: Translate WEB to T_EX

Weave creates a T_EX document from a WEB source file (see Chapter 9 [WEB], page 40), assuming various macros defined in `webmac.tex`. It takes care of typographic details such as page layout, indentation, and italicizing identifiers. It also automatically gathers and outputs extensive cross-reference information. Synopsis:

```
weave [option]... webfile[.web] [changefile[.ch]]
```

The output is to the basename of *webfile* extended with ‘.tex’; for example, ‘weave /wherever/foo.web’ creates `./foo.tex`. Weave applies *changefile* to *webfile* before writing the output; by default, there is no change file.

The Web2c version of Weave accepts 8-bit characters as themselves. This can cause trouble with various internal WEB control codes, and should not be relied on.

The program accepts the following option, as well as the standard ‘-verbose’, ‘-help’ and ‘-version’ (see Section 3.2 [Common options], page 7):

‘-x’ Omit the cross-reference information: the index, the list of WEB module names, and the table of contents (an empty `CONTENTS.tex` file will still be written when the Weave output file is processed by T_EX using the default `webmac.tex`, though).

Conventionally, WEB programmers should define the T_EX `\title` macro at the beginning of the source file. Also, to get output of only changed modules, one can say `\let\maybe=\iffalse` (usually as the first change in the change file).

9.3 Pooltype: Display WEB pool files

Pooltype shows the so-called *string number* of each string in a WEB pool file (see Chapter 9 [WEB], page 40), as output by Tangle (see Section 9.1 [tangle invocation], page 40), including the first 256 strings corresponding to the possible input characters. Pooltype primarily serves as an example of WEB conventions to implementors of the T_EX system. Synopsis:

```
pooltype [option]... poolfile[.pool]
```

No path searching is done for *poolfile*. Output is to standard output.

The only options are ‘--help’ and ‘--version’ (see Section 3.2 [Common options], page 7).

As an example of the output, here is the (edited) output for `tex.pool`:

```
0: "^^@"
1: "^^A"
...
255: "^^ff"
256: "pool size"
```

```
...  
1314: "Using character substitution: "  
(23617 characters in all.)
```

In Metafont and MetaPost, the first 256 characters are represented as single bytes (i.e., themselves), not in the ‘^^’ notation. Thus, Pooltype shows the results after conversion for output.

10 DVI utilities

T_EX outputs a file in *DVI* (DeVice Independent) format as a compact representation of the original document. DVI files can be translated to meet the requirements of a real physical device, such as PostScript printers (see Section “Introduction” in *Dvips*), PCL printers (see `dvilj(1)`), and X displays (see `xdvi(1)`). In fact, DVI translators are available for virtually all common devices: see *CTAN:/dviware* (for CTAN info, see Section “`unixtex.ftp`” in *Kpathsea*).

For the precise definition of the DVI file format, see (for example) the source file `web2c/dvitype.web`.

The DVI-processing programs in the Web2c distribution are not device drivers; they perform generic utility functions.

10.1 DVICopy: Canonicalize virtual font references

DVICopy reads a DVI file, expands any references to virtual fonts (see Section “Virtual fonts” in *Dvips*) to base fonts, and writes the resulting DVI file. Thus you can use virtual fonts even if your DVI processor does not support them, by passing the documents through DVICopy first. Synopsis:

```
dvicopy [option]... [indvi[.dvi] [outdvi[.dvi]]]
```

DVICopy reads standard input if *indvi* is not specified, and writes standard output if *outdvi* is not specified.

The program accepts the following options, as well as the standard ‘`-help`’ and ‘`-version`’ (see Section 3.2 [Common options], page 7):

‘`-magnification=integer`’

Override existing magnification in *indvi* with *integer*; 1000 specifies no magnification. This is equivalent to setting T_EX’s `\mag` parameter.

‘`-max-pages=n`’

Process *n* pages; default is one million.

‘`-page-start=page-spec`’

Start at the first page matching *page-spec*, which is one or more (signed) integers separated by periods, corresponding to T_EX’s `\count0...9` parameters at `\shipout` time; ‘`*`’ matches anything. Examples: ‘3’, ‘1.*.-4’.

10.2 DVItypE: Plain text transliteration of DVI files

DVItypE translates a DeVice Independent (DVI) file (as output by T_EX, for example) to a plain text file that humans can read. It also serves as a DVI-validating program, i.e., if DVItypE can read a file, it’s correct. Synopsis:

```
dvitype [option]... dvifile[.dvi]
```

DVItypE does not read any bitmap files, but it does read TFM files for fonts referenced in *dvifile*. The usual places are searched (see Section “Supported file formats” in *Kpathsea*). To see all the relevant paths, set the environment variable `KPATHSEA_DEBUG` to ‘`-1`’ before running the program.

Output goes to standard output.

The program accepts the following options, as well as the standard ‘`-help`’ and ‘`-version`’ (see Section 3.2 [Common options], page 7):

- ‘`-dpi=real`’
Do pixel movement calculations at *real* pixels per inch; default 300.0.
- ‘`-magnification=integer`’
Override existing magnification in *indvi* with *integer*; 1000 specifies no magnification. This is equivalent to setting T_EX’s `\mag` parameter.
- ‘`-max-pages=n`’
Process *n* pages; default is one million.
- ‘`-output-level=n`’
Verbosity level of output, from 0 to 4 (default 4):
 - 0: Global document information only.
 - 1: Most DVI commands included, and typeset characters summarized.
 - 2: Character and movement commands explicitly included.
 - 3: DVI stack and current position calculations included.
 - 4: Same information as level 3, but DVIt_ype does random positioning in the file, reading the DVI postamble first.
- ‘`-page-start=page-spec`’
Start at the first page matching *page-spec*, which is one or more (signed) integers separated by periods, corresponding to T_EX’s `\count0...9` parameters at `\shipout` time; ‘`*`’ matches anything. Examples: ‘1’, ‘5.*.-9’.
- ‘`-show-opcodes`’
Show numeric opcode values (in decimal) for DVI commands, in braces after the command name. This can help in debugging DVI utilities. We use decimal because in the DVI format documentation (in *dvitype.web*, among others) the opcodes are shown in decimal.

10.2.1 DVIt_ype output example

As an example of the output from DVIt_ype (see section above), here is its (abridged) translation of the `story.dvi` resulting from running the example in *The T_EXbook*, with ‘`-output-level=4`’ and ‘`-show-opcodes`’ on.

```
...
Options selected:
  Starting page = *
  Maximum number of pages = 1000000
  Output level = 4 (the works)
  Resolution = 300.00000000 pixels per inch
numerator/denominator=25400000/473628672
magnification=1000;      0.00006334 pixels per DVI unit
' TeX output 1992.05.17:0844'
Postamble starts at byte 564.
```



```

maxv=43725786, maxh=30785863, maxstackdepth=3, totalpages=1
Font 33: cmsl10---loaded at size 655360 DVI units
Font 23: cmbx10---loaded at size 655360 DVI units
Font 0: cmr10---loaded at size 655360 DVI units

42: beginning of page 1
87: push {141}
level 0:(h=0,v=0,w=0,x=0,y=0,z=0,hh=0,vv=0)
88: down3 -917504 {159} v:=0-917504=-917504, vv:=-58
92: pop {142}
...
104: putrule {137} height 26214, width 30785863 (2x1950 pixels)
113: down3 5185936 {159} v:=655360+5185936=5841296, vv:=370
117: push {141}
level 1:(h=0,v=5841296,w=0,x=0,y=0,z=0,hh=0,vv=370)
118: right4 12265425 {146} h:=0+12265425=12265425, hh:=777
[ ]
123: fntdef1 23 {243}: cmbx10
145: fntnum23 {194} current font is cmbx10
146: setchar65 h:=12265425+569796=12835221, hh:=813
147: w3 251220 {150} h:=12835221+251220=13086441, hh:=829
151: setchar83 h:=13086441+418700=13505141, hh:=856
...
164: setchar82 h:=17448202+565245=18013447, hh:=1142
165: x0 -62805 {152} h:=18013447-62805=17950642, hh:=1138
166: setchar89 h:=17950642+569796=18520438, hh:=1174
[A SHORT STORY]
167: pop {142}
level 1:(h=0,v=5841296,w=0,x=0,y=0,z=0,hh=0,vv=370)
...
550: pop {142}
level 0:(h=0,v=42152922,w=0,x=0,y=0,z=0,hh=0,vv=2670)
551: down3 1572864 {159} v:=42152922+1572864=43725786, vv:=2770
555: push {141}
level 0:(h=0,v=43725786,w=0,x=0,y=0,z=0,hh=0,vv=2770)
556: right4 15229091 {146} h:=0+15229091=15229091, hh:=965
561: setchar49 h:=15229091+327681=15556772, hh:=986
[ 1]
562: pop {142}
level 0:(h=0,v=43725786,w=0,x=0,y=0,z=0,hh=0,vv=2770)
563: eop {140}

```

Explanation:

- The DVItypes options are recorded at the beginning, followed by global information about the document, including fonts used.
- Each DVI command is preceded by its byte position in the file ('42:', '87:', ...),

and (because of the ‘`-show-opcodes`’) followed by its decimal opcode value in braces (‘{141}’, ‘{142}’, ...).

- The ‘`level`’ lines record information about the DVI stack; ‘`h`’ and ‘`v`’ define the current position in DVI units, while ‘`hh`’ and ‘`vv`’ are the same in pixels.
- Text sequences are summarized in brackets, as in ‘`[A SHORT STORY]`’ and the ‘`[1]`’.

11 Font utilities

The Web2c programs described here convert between various T_EX-related font formats; the first section below briefly describes the formats. GFtoPK is the only one that is routinely used, as Metafont outputs GF format, but it's most efficient for device drivers to use PK.

The precise definitions of the PK, GF, TFM, PL, VF, and VPL formats mentioned below are in the source files that read them; `pktype.web`, `gftype.web`, `tftopl.web`, etc.

11.1 Font file formats

For another perspective on this, see Section “Font concepts” in *Dvips*.

Font files come in several varieties, with suffixes like:

`.tfm` `.pk` `.gf` `.pxl` (obsolete) `.pl` `.mf` `.vf` `.vpl`

Each represents a file format.

A TFM (T_EX font metric) file is a compact binary file that contains information about each character in a font, about combinations of characters within that font, and about the font as a whole. The font metric information contained in TFM files is device-independent units is used by T_EX to do typesetting. Unlike the bitmap (raster) fonts described below, TFM font files contain no information about the shapes of characters. They describe rectangular areas and combinations thereof, but not what will eventually be printed in those areas.

Since T_EX does scaling calculations, one TFM file serves for all magnifications of a given typeface. On the other hand, the best printed results are obtained when magnified (or reduced fonts) are not produced geometrically (as done by PostScript, for example) but rather optically, with each size a separate design (as done with Computer Modern and the EC fonts, for example); then a separate TFM file is needed for each size.

At any rate, T_EX produces a DVI (DeVice Independent) file from your source document. In order to print DVI files on real devices, you need font files defining digitized character shapes and other data. Then previewers and printer-driver programs can translate your DVI files into something usable by your monitor or printer. Bitmap fonts come with suffixes such as ‘.600pk’ or ‘.600gf’ or ‘.3000pxl’, where the ‘600’ is the horizontal dots-per-inch resolution at which the font was produced, and the ‘pk’ or ‘gf’ or ‘pxl’ indicates the font format. Outline fonts in PostScript Type 1 format have suffixes such as ‘.pfa’ or ‘.pfb’.

Fonts in pk (packed) format are in the tightly packed raster format that is pretty much the standard today. They take up less space than fonts in the gf (generic font) format that Metafont generates, and far less space than fonts in pxl format. Fonts in pxl format take up gross amounts of disk space and permit only 128 characters. They are obsolete.

Font files with the ‘.pl’ (property list) suffix are the plain text (human-readable) analog of the binary ‘.tfm’ files. The TFtoPL and PLtoTF programs convert between the two formats (see Section 11.6 [tftopl invocation], page 52, and Section 11.7 [pltotf invocation], page 54).

Font files with the ‘.mf’ suffix are in Metafont source format. These are the files used by Metafont to generate rastered fonts for specific typefaces at specific magnifications for the specific resolution and type of mapping used by your device.

The suffix ‘.vf’ identifies “virtual font” files, for which ‘.vpl’ is the human-readable analog. See Section 11.8 [vftovp invocation], page 54, and Section 11.9 [vptovf invocation], page 55. For further discussion of virtual fonts, see *CTAN:/doc/virtual-fonts.knuth*, *CTAN:/help/virtualfonts.txt*, and Section “Virtual fonts” in *Dvips*.

(This section is based on documentation in the original Unix T_EX distribution by Pierre MacKay and Elizabeth Tachikawa.)

11.2 GFtoPK: Generic to packed font conversion

GFtoPK converts a generic font (GF) file output by, for example, Metafont (see Section 6.1 [mf invocation], page 28) to a packed font (PK) file. PK files are considerably smaller than the corresponding gf files, so they are generally the bitmap font format of choice. Some DVI-processing programs, notably Dvips, only support PK files and not GF files. Synopsis:

```
gftopk [option]... gfname.dpi[gf] [pkfile]
```

The font *gfname* is searched for in the usual places (see Section “Glyph lookup” in *Kpathsea*). To see all the relevant paths, set the environment variable KPATHSEA_DEBUG to ‘-1’ before running the program.

The suffix ‘gf’ is supplied if not already present. This suffix is not an extension; no ‘.’ precedes it: for instance, *cmr10.600gf*.

If *pkfile* is not specified, the output is written to the basename of ‘*gfname.dpipk*’, e.g., ‘*gftopk /wherever/cmr10.600gf*’ creates *./cmr10.600pk*.

The only options are ‘--verbose’, ‘--help’, and ‘--version’ (see Section 3.2 [Common options], page 7).

11.3 PKtoGF: Packed to generic font conversion

PKtoGF converts a packed font (PK) file to a generic font (GF) file. Since PK format is much more compact than GF format, the most likely reason to do this is to run GFtype (see Section 11.5 [gftype invocation], page 50) on the result, so you can see the bitmap images. Also, a few old utility programs do not support PK format. Synopsis:

```
pktoGF [option]... pkname.dpi[pk] [gffile]
```

The font *pkname* is searched for in the usual places (see Section “Glyph lookup” in *Kpathsea*). To see all the relevant paths, set the environment variable KPATHSEA_DEBUG to ‘-1’ before running the program.

The suffix ‘pk’ is supplied if not already present. This suffix is not an extension; no ‘.’ precedes it: for instance, *cmr10.600pk*.

If *gffile* is not specified, the output is written to the basename of ‘*pkname.dpigf*’, e.g., ‘*pktoGF /wherever/cmr10.600pk*’ creates *./cmr10.600gf*.

The only options are ‘--verbose’, ‘--help’, and ‘--version’ (see Section 3.2 [Common options], page 7).

11.4 PKtype: Plain text transliteration of packed fonts

PKtype translates a packed font (PK) bitmap file (as output by GFtoPK, for example) to a plain text file that humans can read. It also serves as a PK-validating program, i.e., if PKtype can read a file, it’s correct. Synopsis:

```
pktype pfname.dpi[pk]
```

The font *pfname* is searched for in the usual places (see Section “Glyph lookup” in *Kpathsea*). To see all the relevant paths, set the environment variable `KPATHSEA_DEBUG` to ‘-1’ before running the program.

The suffix ‘pk’ is supplied if not already present. This suffix is not an extension; no ‘.’ precedes it: for instance, `cmr10.600pk`.

The translation is written to standard output.

The only options are ‘-help’ and ‘-version’ (see Section 3.2 [Common options], page 7).

As an example of the output, here is the (abridged) translation of the letter ‘K’ in ‘cmr10’, as rendered at 600dpi with the mode ‘ljfour’ from `modes.mf` (<https://ctan.org/pkg/modes>).

```
955:  Flag byte = 184  Character = 75  Packet length = 174
      Dynamic packing variable = 11
      TFM width = 815562  dx = 4259840
      Height = 57  Width = 57  X-offset = -3  Y-offset = 56
      [2]23(16)17(8)9(25)11(13)7(27)7(16)7(28)4(18)7(28)2(20)7(27)...
      ...
      (14)9(24)12(5)[2]23(13)21
```

Explanation:

‘955’ The byte position in the file where this character starts.

‘Flag byte’

‘Dynamic packing variable’

Related to the packing for this character; see the source code.

‘Character’

The character code, in decimal.

‘Packet length’

The total length of this character definition, in bytes.

‘TFM width’

The device-independent (TFM) width of this character. It is 2^{24} times the ratio of the true width to the font’s design size.

‘dx’

The device-dependent width, in *scaled pixels*, i.e., units of horizontal pixels times 2^{16} .

‘Height’

‘Width’ The bitmap height and width, in pixels.

‘X-offset’

‘Y-offset’

Horizontal and vertical offset from the upper left pixel to the reference (origin) pixel for this character, in pixels (right and down are positive). The *reference pixel* is the pixel that occupies the unit square in Metafont; the Metafont reference point is the lower left hand corner of this pixel. Put another way, the x-offset is the negative of the left side bearing; the right side bearing is the horizontal escapement minus the bitmap width plus the x-offset.

‘[2]23(16)...’

Finally, run lengths of black pixels alternate with parenthesized run lengths of white pixels, and brackets indicate a repeated row.

11.5 GFont: Plain text transliteration of generic fonts

GFont translates a generic font (GF) bitmap file (as output by Metafont, for example) to a plain text file that humans can read. It also serves as a GF-validating program, i.e., if GFont can read a file, it’s correct. Synopsis:

```
gfont [option]... gfname.dpi[gf]
```

The font *gfname* is searched for in the usual places (see Section “Glyph lookup” in *Kpathsea*). To see all the relevant paths, set the environment variable `KPATHSEA_DEBUG` to ‘-1’ before running the program.

The suffix ‘gf’ is supplied if not already present. This suffix is not an extension; no ‘.’ precedes it: for instance, `cmr10.600gf`.

The translation is written to standard output.

The program accepts the following options, as well as the standard ‘-help’ and ‘-version’ (see Section 3.2 [Common options], page 7):

‘-images’ Show the characters’ bitmaps using asterisks and spaces.

‘-mnemonics’

Translate all commands in the GF file.

As an example of the output, here is the (abridged) translation of the letter ‘K’ in ‘cmr10’, as rendered at 600dpi with the mode ‘ljfour’ from `modes.mf` (<https://ctan.org/pkg/modes>), with both ‘-mnemonics’ and ‘-images’ enabled.

GFont outputs the information about a character in two places: a main definition and a one-line summary at the end. We show both. Here is the main definition:

```
2033: beginning of char 75: 3<=m<=60 0<=n<=56
      (initially n=56) paint(0)24(12)20
2043: newrow 0 (n=55) paint 24(12)20
2047: newrow 0 (n=54) paint 24(12)20
2051: newrow 0 (n=53) paint 24(12)20
2055: newrow 7 (n=52) paint 10(21)13
2059: newrow 8 (n=51) paint 8(23)9
...
2249: newrow 8 (n=5) paint 8(23)11
2253: newrow 7 (n=4) paint 10(22)12
2257: newrow 0 (n=3) paint 24(11)22
2261: newrow 0 (n=2) paint 24(11)22
2265: newrow 0 (n=1) paint 24(11)22
2269: newrow 0 (n=0) paint 24(11)22
2273: eoc
```

```
.<--This pixel's lower left corner is at (3,57) in METAFONT coordinates
```

```
*****  
*****  
*****  
*****  
  
*****  
*****  
  
. . .  
  
*****  
*****  
  
*****  
*****  
*****  
*****  
*****  
*****  
  
.<--This pixel's upper left corner is at (3,0) in METAFONT coordinates
```

Explanation:

‘2033’

‘2043’

‘...’ The byte position in the file where each GF command starts.

```
'beginning of char 75'
```

The character code, in decimal.

$$3 \leq m \leq 60 \quad 0 \leq n \leq 56$$

The character's bitmap lies between 3 and 60 (inclusive) horizontally, and between 0 and 56 (inclusive) vertically. (m is a column position and n is a row position.) Thus, 3 is the left side bearing. The right side bearing is the horizontal escapement (given below) minus the maximum m .

```
'(initially n=56) paint (0)24(12)20'
```

The first row of pixels: 0 white pixels, 24 black pixels, 12 white pixels, etc.

'newrow 0 (n=55) paint 24(12)20'

The second row of pixels, with zero leading white pixels on the row.

'eoc' The end of the main character definition.

Here is the GF postamble information that GFtype outputs at the end:

Character 75: dx 4259840 (65), width 815562 (64.57289), loc 2033

Explanation:

‘dx’ The device-dependent width, in *scaled pixels*, i.e., units of horizontal pixels times 2¹⁶. The ‘(65)’ is simply the same number rounded. If the vertical escapement is nonzero, it would appear here as a ‘dy’ value.

‘width’ The device-independent (TFM) width of this character. It is 2^{24} times the ratio of the true width to the font’s design size. The ‘64.57289’ is the same number converted to pixels.

'loc'	The byte position in the file where this character starts.
-------	--

11.6 TFtoPL: T_EX font metric to property list conversion

TFtoPL translates a T_EX font metric (TFM, see Section “Metric files” in *Dvips*) file (as output by Metafont, for example) to *property list format* (a list of parenthesized items describing the font) that humans can edit or read. This program is mostly used by people debugging T_EX implementations, writing font utilities, etc. Synopsis:

```
tftopl [option]... tfmname[.tfm] [plfile[.pl]]
```

The font *tfmname* (extended with ‘.tfm’ if necessary) is searched for in the usual places (see Section “Supported file formats” in *Kpathsea*). To see all the relevant paths, set the environment variable `KPATHSEA_DEBUG` to ‘-1’ before running the program.

If *plfile* (which is extended with ‘.pl’ if necessary) is not specified, the property list file is written to standard output. The property list file can be converted back to TFM format by the companion program TFtoPL (see the next section).

The program accepts the following option, as well as the standard ‘-verbose’, ‘-help’ and ‘-version’ (see Section 3.2 [Common options], page 7):

‘-charcode-format=type’

Output character codes in the PL file according to *type*: either ‘octal’ or ‘ascii’. Default is ‘ascii’ for letters and digits, octal for all other characters. Exception: if the font’s coding scheme starts with ‘T_EX math sy’ or ‘T_EX math ex’, all character codes are output in octal.

In ‘ascii’ format, character codes that correspond to graphic characters, except for left and right parentheses, are output as a ‘C’ followed by the single character: ‘C K’, for example. In octal format, character codes are output as the letter ‘O’ followed by octal digits, as in ‘O 113’ for ‘K’.

‘octal’ format is useful for symbol and other non-alphabetic fonts, where using ASCII characters for the character codes is merely confusing.

As an example of the output, here is the (abridged) property list translation of `cmr10.tfm`:

```
(FAMILY CMR)
(FACE 0 352)
(CODINGScheme TEX TEXT)
(DESIGNSIZE R 10.0)
(COMMENT DESIGNSIZE IS IN POINTS)
(COMMENT OTHER SIZES ARE MULTIPLES OF DESIGNSIZE)
(CHECKSUM 0 11374260171)
(FONTDIMEN
  (SLANT R 0.0)
  (SPACE R 0.333334)
  (STRETCH R 0.166667)
  (SHRINK R 0.111112)
  (XHEIGHT R 0.430555)
  (QUAD R 1.000003)
  (EXTRASPACE R 0.111112)
)
(LIGTABLE
```



```

...
(LABEL C f)
(LIG C i 0 14)
(LIG C f 0 13)
(LIG C l 0 15)
(KRN 0 47 R 0.077779)
(KRN 0 77 R 0.077779)
(KRN 0 41 R 0.077779)
(KRN 0 51 R 0.077779)
(KRN 0 135 R 0.077779)
(STOP)
...
)
...
(Character C f
  (CHARWD R 0.305557)
  (CHARHT R 0.694445)
  (CHARIC R 0.077779)
  (COMMENT
    (LIG C i 0 14)
    (LIG C f 0 13)
    (LIG C l 0 15)
    (KRN 0 47 R 0.077779)
    (KRN 0 77 R 0.077779)
    ...
  )
)
...

```

As you can see, the general format is a list of parenthesized *properties*, nested where necessary.

- The first few items (FAMILY, FACE, and so on) are the so-called *headerbyte* information from Metafont, giving general information about the font.
- The FONTDIMEN property defines the T_EX `\fontdimen` values.
- The LIGTABLE property defines the ligature and kerning table. LIG properties define ligatures: in the example above, an ‘f’ (in the ‘LABEL’) followed by an ‘i’ is a ligature, i.e., a typesetting program like T_EX replaces those two consecutive characters by the character at position octal ‘014 in the current font—presumably the ‘fi’ ligature. KRN properties define kerns: if an ‘f’ is followed by character octal ‘047 (an apostrophe), T_EX inserts a small amount of space between them: 0.077779 times the design size the font was loaded at (about three-quarters of a printer’s point by default in this case, or .001 inches).
- The CHARACTER property defines the dimensions of a character: its width, height, depth, and italic correction, also in design-size units, as explained in the previous item. For our example ‘f’, the depth is zero, so that property is omitted. T_FtoP_L also inserts any kerns and ligatures for this character as a comment.

11.7 PLtoTF: Property list to T_EX font metric conversion

PLtoTF translates a property list file (as output by TFtoPL, for example) to T_EX font metric (TFM, see Section “Metric files” in *Dvips*) format. It’s much easier for both programs and humans to create the (plain text) property list files and let PLtoTF take care of creating the binary TFM equivalent than to output TFM files directly. Synopsis:

```
pltotf [option]... plfile[.pl] [tfmfile[.tfm]]
```

If *tfmfile* (extended with ‘.tfm’ if necessary) is not specified, the TFM file is written to the basename of ‘*plfile.tfm*’, e.g., ‘*pltotf /wherever/cmr10.pl*’ creates *./cmr10.tfm*. (Since TFM files are binary, writing to standard output by default is undesirable.)

The only options are ‘-verbose’, ‘-help’, and ‘-version’ (see Section 3.2 [Common options], page 7).

For an example of property list format, see the previous section.

11.8 VFtoVP: Virtual font to virtual property lists

VFtoVP translates a virtual font metric (VF, see Section “Virtual fonts” in *Dvips*) file and its accompanying T_EX font metric (TFM, see Section “Metric files” in *Dvips*) file (as output by VPtoVF, for example) to *virtual property list format* (a list of parenthesized items describing the virtual font) that humans can edit or read. This program is mostly used by people debugging virtual font utilities. Synopsis:

```
vftovp [option]... vfname[.vf] [tfmname[.tfm] [vplfile[.vpl]]]
```

The fonts *vfname* and *tfmname* (extended with ‘.vf’ and ‘.tfm’ if necessary) are searched for in the usual places (see Section “Supported file formats” in *Kpathsea*). To see all the relevant paths, set the environment variable *KPATHSEA_DEBUG* to ‘-1’ before running the program. If *tfmname* is not specified, *vfname* (without a trailing ‘.vf’) is used.

If *vplfile* (extended with ‘.vpl’ if necessary) is not specified, the property list file is written to standard output. The property list file can be converted back to VF and TFM format by the companion program VFtoVP (see the next section).

The program accepts the following option, as well as the standard ‘-verbose’, ‘-help’ and ‘-version’ (see Section 3.2 [Common options], page 7):

‘-charcode-format=type’

Output character codes in the PL file according to *type*: either ‘octal’ or ‘ascii’. Default is ‘ascii’ for letters and digits, octal for all other characters. Exception: if the font’s coding scheme starts with ‘T_EX math sy’ or ‘T_EX math ex’, all character codes are output in octal.

In ‘ascii’ format, character codes that correspond to graphic characters, except for left and right parentheses, are output as a ‘C’ followed by the single character: ‘C K’, for example. In octal format, character codes are output as the letter ‘O’ followed by octal digits, as in ‘O 113’ for ‘K’.

‘octal’ format is useful for symbol and other non-alphabetic fonts, where using ASCII characters for the character codes is merely confusing.

11.9 VPtoVF: Virtual property lists to virtual font

VPtoVF translates a virtual property list file (as output by VFtoVP, for example) to virtual font (VF, see Section “Virtual fonts” in *Dvips*) and \TeX font metric (TFM, see Section “Metric files” in *Dvips*) files. It’s much easier for both programs and humans to create the (plain text) property list files and let VPtoVF take care of creating the binary VF and TFM equivalents than to output them directly. Synopsis:

```
vptovf [option]... vplfile[.vpl] [vffile[.vf] [tfmfile[.tfm]]]
```

If *vffile* (extended with ‘.vf’ if necessary) is not specified, the VF output is written to the basename of ‘*vplfile.vf*’; similarly for *tfmfile*. For example, ‘*vptovf /wherever/ptmr.vpl*’ creates *./ptmr.vf* and *./ptmr.tfm*.

The only options are ‘-verbose’, ‘-help’, and ‘-version’ (see Section 3.2 [Common options], page 7).

11.10 Font utilities available elsewhere

The Web2c complement of font utilities merely implements a few basic conversions. Many other more sophisticated font utilities exist; most are in *CTAN:/fonts/utilities* (for CTAN info, see Section “unixtex.ftp” in *Kpathsea*). Here are some of the most commonly-requested items:

- AFM (Adobe font metric) to TFM conversion: see Section “Invoking afm2tfm” in *Dvips*, and *CTAN:/fonts/utilities/afm2tfm*.
- BDF (the X bitmap format) conversion: <ftp://ftp.tug.org/tex/bdf.tar.gz>.
- Creating fonts using MetaPost: MetaType1: <https://ctan.org/pkg/metatype1>. This was used to create the Latin Modern font family (<https://ctan.org/pkg/lm>), which extends Computer Modern to a larger repertoire of scripts.
- Editing of bitmap fonts: Xbfe from the GNU font utilities mentioned below; the X BDF-editing programs *xfed* and *xfedor*; finally, if your fonts have only 128 characters, you can use the old *gftopxl*, *pctocho*, and *chtopx* programs from <ftp://ftp.tug.org/tex/web>.
- Editing of outline fonts: FontForge, <https://fontforge.sourceforge.net>. This is a very elaborate program with support for many outline formats (Type 1, OpenType, TrueType, ...), and many advanced font editing features.
- PK bitmaps from PostScript outline fonts: *gsftopk* from the ‘*xdvi*’ distribution. Alternatively, *ps2pk*, from *CTAN:/fonts/utilities/ps2pk*.
- PostScript Type 1 font format conversion (i.e., between PFA and PFB formats): <https://www.lcdf.org/type>.
- Tracing bitmaps to fitted outlines: Autotrace (<http://autotrace.sourceforge.net>), Potrace (<http://potrace.sourceforge.net>). For Metafont fonts, either of the two programs *mftrace* (<http://www.xs4all.nl/~hanwen/mftrace>) or *textrace* (<http://textrace.sourceforge.net>) make the job easier.
- Virtual font creation: <https://ctan.org/pkg/fontinst>.

Appendix A Legalisms

In general, each file has its own copyright notice stating the copying permissions for that file. Following is a summary.

The Stanford T_EX programs and Web2c system itself are in the public domain (<https://tug.org/texlive/copying.html>). The sources may be copied verbatim, or used as the starting point of new software under different names; however, per the wishes of the authors, they should be modified only through a `.ch` file, but this is in the nature of a development request rather than a legal requirement.

MLT_EX, pdfT_EX, LuaT_EX, XeT_EX, and all the other derived engines have used various license terms for their additions to the base code, often the GPL (see <https://www.gnu.org/licenses/#GPL>) or (for example) the file `web2c/pdftexdir/COPYINGv2`. They also mostly make use of additional libraries with their own (compatible) terms. Please see each program's sources.

The Kpathsea library is covered by the GNU Lesser General Public License (see Section “Introduction” in *Kpathsea*). Therefore, the *binaries* resulting from a standard Web2c compilation are also covered by the LGPL; so if you (re)distribute the binaries, you must also (offer to) distribute the complete source that went into those binaries. See <https://gnu.org/licenses/#LGPL> or the file `kpathsea/COPYING.LESSERv2`.

Appendix B References

1. Kpathsea: See *Kpathsea*.
2. Dvips and Afm2tfm: See *Dvips*.
3. The T_EX Users Group: <https://tug.org>. For an introduction to the T_EX system, see <https://tug.org/begin.html>.
4. TUGboat, the principal journal for the T_EX world: <https://tug.org/TUGboat>.
5. T_EX and computer typesetting in general:
<https://ftp.math.utah.edu/pub/tex/bib/texbook1.bib> and [texbook3.bib](https://ftp.math.utah.edu/pub/tex/bib/texbook3.bib), among others.
6. For a bibliography of formal articles and technical reports on the T_EX project, see the books *T_EX: The Program* or *Metafont: The Program* cited below.
7. [Bil87] Neenie Billawala. Write-white printing engines and tuning fonts with Metafont. *TUGboat*, 8(1):29–32, April 1987. <https://tug.org/TUGboat/tb08-1/tb17billawala.pdf>.
8. [Hob89] John D. Hobby. A Metafont-like system with PS output. *TUGboat*, 10(4):505–512, December 1989. <https://tug.org/metapost>.
9. [Hob92] John D. Hobby. A User’s Manual for MetaPost. Technical Report CSTR-162, AT&T Bell Laboratories, 1992.
10. [Hob93] John D. Hobby. Drawing Graphs with MetaPost. Technical Report CSTR-164, AT&T Bell Laboratories, 1993.
11. [HS91] Samuel P. Harbison and Guy L. Steele Jr. *C—A Reference Manual*. Prentice-Hall, Upper Saddle River, NJ 07458, USA, third edition, 1991. An authoritative reference to the C programming language, and a good companion to Kernighan and Ritchie.
12. [KL93] Donald E. Knuth and Silvio Levy. *The CWEB System of Structured Documentation, Version 3.0*. Addison-Wesley, Reading, MA, USA, 1993. <https://ctan.org/pkg/cweb>.
13. [Knu84] Donald E. Knuth. A torture test for T_EX. Report No. STAN-CS-84-1027, Stanford University, Department of Computer Science, 1984.
14. [Knu86a] Donald E. Knuth. A Torture Test for METAFONT. Report No. STAN-CS-86-1095, Stanford University, Department of Computer Science, 1986.
15. [Knu86b] Donald E. Knuth. *The T_EXbook*, volume A of *Computers and Typesetting*. Addison-Wesley, Reading, MA, USA, 1986.
16. [Knu86c] Donald E. Knuth. *T_EX: The Program*, volume B of *Computers and Typesetting*. Addison-Wesley, Reading, MA, USA, 1986.
17. [Knu86d] Donald E. Knuth. *The METAFONTbook*, volume C of *Computers and Typesetting*. Addison-Wesley, Reading, MA, USA, 1986.
18. [Knu86e] Donald E. Knuth. *METAFONT: The Program*, volume D of *Computers and Typesetting*. Addison-Wesley, Reading, MA, USA, 1986.
19. [Knu86f] Donald E. Knuth. *Computer Modern Typefaces*, volume E of *Computers and Typesetting*. Addison-Wesley, Reading, MA, USA, 1986.
20. [Knu89] Donald E. Knuth. The errors of T_EX. *Software—Practice and Experience*, 19(7):607–681, July 1989. This is an updated version of Knuth:1988:ET.

- 21. [Knu90] Donald Knuth. Virtual Fonts: More Fun for Grand Wizards. *TUGboat*, 11(1):13–23, April 1990. <https://tug.org/TUGboat/tb11-1/tb27knut.pdf>.
- 22. [Knu92] Donald E. Knuth. *Literate Programming*. CSLI Lecture Notes Number 27. Stanford University Center for the Study of Language and Information, Stanford, CA, USA, 1992.
- 23. [Lam94] Leslie Lamport. *L^AT_EX: A Document Preparation System: User's Guide and Reference Manual*. Addison-Wesley, Reading, MA, USA, second edition, 1994. Reprinted with corrections, 1996.
- 24. [Lia83] Franklin Mark Liang. Word hy-phen-a-tion by com-put-er. Technical Report STAN-CS-83-977, Stanford University, August 1983. <https://tug.org/docs/liang/liang-thesis.pdf>.
- 25. [Mac91] Pierre A. MacKay. Looking at the pixels: Quality control for 300 dpi laser printer fonts, especially Metafonts. In Robert A. Morris and Jacques Andre, editors, *Raster Imaging and Digital Typography II—Papers from the second RIDT meeting, held in Boston, Oct. 14–16, 1991*, pages 205–215, New York, 1991. Cambridge University Press.

Index

"		
" character, ignored in filenames	15	
#		
'#define' options	4	
\$		
\$ expansion in filenames	16	
%		
%& magic number	13	
—		
- starting a filename	7	
- starts option names	7	
-- starts option names	7	
--disable-dump-share configure option	13	
--disable-mf-nowin	31	
--enable-amigawin	31	
--enable-epsfwin	31	
--enable-hp2627win	31	
--enable-ipc configure option	19	
--enable-mftalkwin	31	
--enable-next	31	
--enable-regiswin	31	
--enable-suntoolswin	31	
--enable-tektronixwin	31	
--enable-unitermwin	31	
--help common option	7	
--verbose common option	7	
--version common option	7	
--with-editor=cmd	14	
--with-mf-x-toolkit	31	
--with-x	31	
-8bit	9	
-base=base	13	
-base=dumpname	8	
-change=chfile	34	
-charcode-format=type	52, 54	
-cnf-line	7	
-D compiler options	4	
-debug	37	
-disable-write18	19	
-dpi=real	44	
-enable-write18	19	
-enc	18	
-file-line-error	8	
-file-line-error-style	8	
-fmt=dumpname	8	
-fmt=fmt	13	
-geometry, supported with Xt	32	
-halt-on-error	8	
-images	50	
-ini	8, 12	
-interaction=string	8	
-ipc	19	
-ipc-start	19	
-jobname=string	8	
-kpathsea-debug=number	8	
-length=number	40	
-loose	41	
-lowercase	40	
-magnification=integer	43, 44	
-max-pages=n	43, 44	
-mem	37	
-mem=dumpname	8	
-metapost	34	
-min-crossrefs=n	38	
-mixedcase	40	
-mktex=filetype	19, 29	
-mltex	19	
-mnemonics	50	
-no-file-line-error	8	
-no-mktex=filetype	19, 29	
-no-parse-first-line	8	
-no-shell-escape	19	
-numbersystem	37	
-output-comment=string	19	
-output-directory	8, 10	
-output-level=n	44	
-overflow-label-offset=points	33	
-page-start=page-spec	43, 44	
-parse-first-line	8	
-progname=string	8, 13	
-recorder	9	
-restricted	37	
-s	37	
-shell-escape	19	
-shell-restricted	19	
-show-opcodes	44	
-strict	41	
-style=mftfile	34	
-terse	38	
-tex=texprogram	37	
-translate-file=tcxfile	9	
-troff	37	
-T	37	
-underline	40	
-uppercase	40	
-x	41	

.	
., used for output	9
.2602gf	28
.aux cross-reference files	38
.base	29
.bbl bibliography files	38
.bib bibliography databases	38
.blg BibT _E X log file	38
.fmt	20
.mf	28
.mp	35
.mps files and PDF	36
.nnn PostScript figures	35
.nnngf generic fonts	28
.tcx character translation files	9, 23
.tex	17
.tfm output	28, 35
.Xdefaults	32
.Xresources	32
^	
^^ notation, avoiding	24
\	
\bibliography	38
\bibliographystyle	38
\charsubdef and MLT _E X	22
\countn	43, 44
\font and dynamic generation	20
\fontdimen	53
\immediate\write18	25
\input braced (grouped) filename	15
\input filename caveats	16
\input filenames	15
\input quoted filename	15
\input, and pipes	26
\mag	43, 44
\openin, and pipes	26
\openout and security	20
\openout, and pipes	26
\output routine, and \write	25
\pdfshellescape	26
\string, and \input filenames	16
\tracingcharsubdef and MLT _E X	23
\tracinglostchars and MLT _E X	23
\write18 shell escape extension	25
\write18, output location for	10
~	
~ expansion in filenames	16
2	
2602gf	28

3

32-bit architecture	13
---------------------------	----

6

64-bit architecture	13
---------------------------	----

8

8 bit clean	9
8 bit clean output, specifying	9
8-bit characters	23

A

abbrv.bst	39
accented character	23
accents, hyphenating words with	22
acknowledgements	1
acm.bst	39
Ada, WEB for	40
additional Make targets	5
afm2tfm	55
AFM to TFM conversion	55
afmtopl	55
Aleph	27
aliases for fonts	9
alpha.bst	39
American Mathematical Society, typesetting system	21
amiga	31
AMST _E X	21
apalike.bst	39
architecture dependencies	13
array limit, fixed	11
array sizes	11
assembly language routines	5
autotrace	55
Awk, WEB for	40

B

base file, determining	13
base files	29
base files, need mode definitions	30
base files, plain only	30
base files, sharing	13
bases Make target	5
basic BibTeX style files	39
basic fonts and macros	3
batch languages	17
BDF and GF conversion	55
beamer , package	21
beginfig	35
Berry, Karl	1
BIBINPUTS , search path for bib files	38
bibliographies, creating	38
bibliography	57
bibliography items, cross-referenced	38
bibtex	38
BibTeX	38
BibTeX collection	38
BibTeX style files	39
BigEndian machines	13
binaries, linking	8
blank lines, in TCX files	24
boxes, memory for	11
braced filename for <code>\input</code>	15
breakpoints, memory for	11
Breitenlohner, Peter	1
BSTINPUTS , search path for bst files	38
btex for MetaPost labels	35
btxdoc.bib	38
btxdoc.tex	38
btzhak.tex	38
byte position	49, 51
byte swapping	13

C

c-sources Makefile target	5
caveats for <code>\input</code> filenames	16
change files, and MFT	34
change files, and Tangle	40
change files, and Weave	41
changing error messages style	8
character codes, in GFtype output	51
character codes, in PKtype output	49
character codes, in TCX files	24
character proofs of fonts	32
character translation files	23
CHARACTER property	53
CHARDP property	53
CHARHT property	53
CHARIC property	53
CHARWD property	53
chtopx	55
class name for Metafont	32
cm.base	30

cmbase.mf	30
cmbase.mft	34
cmmf.base not recommended	30
color, in DVItO MP	37
COM1..0 , reserved filename on Windows	16
comments, in TCX files	24
comments, MFT control	33
common options	7
commonalities	7
compilation	3
compile-time options	3, 4
Computer Modern fonts, and Troff	36
Computer Modern macros	30
<i>Computer Modern Typefaces</i> , production of	34
CON , reserved filename on Windows	16
configuration	3
configuration file reading	9
configuration file values	11
configuration, compile-time	3
configure --with/--enable options	3
CONTENTS.tex	41
ConTeXt	21
conventions for options,	7
conversion, DVI to plain text	43
conversion, GF to PK	48
conversion, GF to plain text	50
conversion, PK to GF	48
conversion, PK to plain text	48
conversion, property list to TFM	54
conversion, property list to VF	55
conversion, TFM to property list	52
conversion, VF to VPL	54
copyright notices	56
Cork encoding and ISO input	24
creating memory dumps	12
cross-engine functionality	26
cross-referenced bibliography items	38
cross-references, omitting	41
current directory, used for output	9
Curtis, Pavel	1
Cweb	40
CWEB	40

D

date and time, in memory dumps	14
debugging DVI utilities	44
debugging flags, specifying	8
decimal character codes, in TCX files	24
dependencies, hardware	13
design-size units	53
device definitions, for Metafont	30
device-independent width	49, 51
directory structure	3
DISPLAY	31, 32
dot files, written by TeX programs	20
double quote character, ignored in filenames	15
downloading of fonts for MetaPost labels	36

DrawingServant	31
dump file	8
dumping memory	12
DVI comment, specifying	19
DVI files, converting to MPX	37
DVI files, explained	47
DVI format definition	43
DVI opcodes, showing	44
DVI utilities	43
dvicopy	43
dvitomp	37
dvitype DVI validation	43
dvitype output example	44
dvitype.web	43
dx horizontal escapement	49, 51
dy vertical escapement	51
dynamic array allocation	11
dynamic Metafont mode definitions with smode ..	30
dynamic packing variable	49

E

e response at error prompt	14
e-circumflex	22
e-TeX	27
e.mft	34
EC fonts	28
editing of bitmap fonts	55
editor invoked at error	14
eight-bit characters in filenames	16
empty.tcx	24
endian dependencies	13
eoc GF command	51
Eplain	21
epsf	31
epTeX	27
errors, editor invoked at	14
escapement, horizontal	49, 51
escapement, vertical	51
etex for MetaPost labels	35
etex is pdfTeX	27
eupTeX	27
executables, shared initial and virgin	12
exit status, of shell escape	25
expand_depth	11
expanded plain format	21
expansion limit, recursive	11
expansion, and \input filenames	16
extensions to TeX	26
extra_mem_bot	11

F

FACE property	53
FAMILY property	53
Ferguson, Michael	22
file formats for fonts	47
file recorder	9
filename conventions, in input files	15
filenames starting with ‘_’	7
first line of the main input file	9
fixed-point arithmetic	5
FIXPT	5
flag byte	49
floating-point arithmetic	5
floating-point values	13
fmt file, determining	13
fmt files	20
fmt files, sharing	13
fmts Make target	5
font aliases	9
font character code, translating	24
font design	28
font downloading for MetaPost labels	36
font file formats	47
font proofs	32
font utilities	47
font utilities, non-Web2c	55
fontforge	55
fontinst , for creating virtual fonts	55
fonts, basic	3
format files	20
formats for TeX	21
formats Make target	5
fraction routines	5
Free Software Foundation documentation system ..	21
freedom of Web2c	1
ftp.math.utah.edu	38

G

generating source specials	19
geometric designs	28
geometric font scaling	47
geometry for Metafont	32
getopt_long_only	7
GF files, explained	47
GF files, output by Metafont	28
GF format definition	47
GF output	28
GF, converting PK to	48
GF, converting to PK	48
gftodvi	32
gftopk	48
gftopxl	55
gftype GF validation	50
gftype.web	47
glue ratio representations	13
glue, memory for	11
glyph substitutions	22

gray font..... 32
 group-delimited filename for `\input`..... 15
 Gruff, Billy Goat..... 5
gsftopk..... 55

H

Harbison, Samuel P. 14
 hardware and memory dumps..... 13
headerbyte information..... 53
 height, in pixels..... 49
 help, online 7
 Herberts, Mathias..... 31
 hex character codes, in TCX files..... 24
 HINT (Hint Is Not \TeX)..... 27
 history..... 1
 $\text{hi}\TeX$ 27
 Hobby, John 1
 horizontal escapement..... 49, 51
hp2627..... 31
 human languages, supported in \TeX 22
 human-readable text, converting DVI to..... 43
 human-readable text, converting GF to..... 50
 human-readable text, converting PK to..... 48
 human-readable text, converting TFM to..... 52
 human-readable text, converting VF to..... 54
 hypertext..... 27
 hyphenation and languages..... 22
 hyphenation patterns, creating..... 25

I

ice cream..... 1
 identifier case..... 40
 identifier collisions..... 41
 identifier length..... 40
 identifiers with underlines..... 40
ieeetr.bst..... 39
il1-t1.tcx..... 24
il2-t1.tcx..... 24
 Info format..... 21
 initial form, enabling..... 8
 initial Metafont..... 29
 initial MetaPost..... 37
 initial programs..... 12
 initial \TeX 20
 initializations, lengthy..... 12
 input filenames..... 15
 input from the output directory..... 9
install-bases Make target..... 5
install-fmts Make target..... 5
install-formats Make target..... 5
install-mems Make target..... 5
 installation..... 3
 interaction between TCX files and ‘-8bit’..... 24
 interaction mode..... 8
 international characters..... 23
 introduction..... 1

IPC..... 26
IPC_DEBUG..... 5, 26

J

job name..... 8

K

kerning table, in TFM files..... 53
 keyboard character code, translating..... 24
 Knuth, Donald E. 1, 34
KPATHSEA_DEBUG..... 8
 KRN property..... 53

L

label font..... 32
LABEL property..... 53
 language support in \TeX 22
 languages, hyphenation rules for..... 25
latex-dev..... 21
 $\text{La}\TeX$ 21
 $\text{La}\TeX$ testing..... 21
 Latin Modern..... 55
 left side bearing..... 49, 51
 legalisms..... 56
libsigsegv library..... 11
 licensing terms..... 1
LIG property..... 53
 ligature table, in TFM files..... 53
LIGTABLE property..... 53
 linking binaries..... 8
 links to binaries..... 13
 literate programming..... 40
 LittleEndian machines..... 13
 location of **texmf.cnf** in \TeX Live..... 11
 log file, $\text{Bib}\TeX$ 38
 long data type, size of..... 13
ltx-talk, package..... 21
 Lua..... 27
 Lua, and unportable memory dumps..... 13
 $\text{Lua}\TeX$ 27

M

machine dependencies	13
machine-readable, converting property lists to	54, 55
MacKay, Pierre	48
macro packages, major T _E X	21
macros, basic	3
macros, predefining in memory dumps	12
magnification	43, 44
main_memory	11
Make targets, additional	5
Martin, Rick	1
Mathematical Reviews	21
mathematical typesetting	17
memory dump to use, determining	13
memory dumps	12
memory dumps and hardware	13
memory dumps, contain date and time	14
memory dumps, creating	12
mems Make target	5
meta characters in filenames	16
Metafont	28
Metafont geometry	32
Metafont graphics	31
Metafont input files	28
Metafont invocation	28
Metafont meets PostScript	35
Metafont online support, new devices	32
Metafont or MetaPost source, prettyprinting ...	33
Metafont without online graphics	31
Metafont, compatibility in MetaPost	37
Metafont, initial	29
Metafont, MetaPost, and T _E X	11
MetaPost	35
MetaPost and plain Metafont compatibility	37
MetaPost input files	35
MetaPost invocation	35
MetaPost source, prettyprinting	34
MetaPost, initial	37
MetaPost, T _E X, and Metafont	11
metatype1	55
mf	28
mf.base	29
MFEDIT	14
mfplain	37
mfput	28
mft	33
mftalk	31
MFTERM	31
mftmac.tex	33
micro-typography	27
mktxmf, disabling	28
mktextfm, disabling	20
mltex	22
MLT _E X, enabling	19
mode needed to run Metafont	28
mode_def	30
mode_setup	30

modes file needed for Metafont	30
modes.mf recommended modes file	30
modifying texmf.cnf in T _E X Live	11
Morgan, Tim	1
Morris, Bob	1
MPEDIT	14
mpgraph.pdf	35
mpman.pdf	35
mpost	35
mpost, reason for name change	3
mpout	35
mproof.tex	36
mptrap Make target	5
mptrap test	5
mptrap.readme	5
MPX files, converting from DVI files	37
Multi-lingual T _E X	22
multiple spaces, and \input filenames	16

N

N tilde	23
new graphics support for Metafont	32
newrow GF command	51
next	31
non-Unix system, compiling on	5
non-windows-capable Metafont	31
NUL bytes, not allowed in filenames	16
NUL, reserved filename on Windows	16

O

octal character codes, in TCX files	24
offset for overflow labels	33
Omega	27
online Metafont graphics	31
opcodes, showing DVI	44
OpenType support	27
optical font scaling	47
option conventions	7
origin	49
output directory, specifying	8, 10
output file location	9
output files, written by T _E X programs	20
output_comment for DVI files	19
overflow label offset	33
overflow, of runtime stack	11

P

packet length 49
 page, starting 43, 44
 parsing the first line 8
 Pascal, creating from WEB 40
patgen 25
 path searching 9
 path searching debugging 8
 PDF 27
 PDF, and .mps files 36
 pdfTeX 27
 permissions, legal 56
 PFA and PFB conversion 55
pfaedit 55
 PiCTeX, increasing memory for 11
 pid, used in recorder filename 9
 pipes, reading and writing 26
 pixel height 49
 pixel width 49
 PK bitmaps from PostScript 55
 PK files, explained 47
 PK files, not output by Metafont 28
 PK format definition 47
 PK, converting GF to 48
 PK, converting to GF 48
pktogf 48
pktype PK validation 48
pktype.web 47
 PL files, explained 47
 plain Metafont, compatibility in MetaPost 37
 plain text, converting DVI to 43
 plain text, converting GF to 50
 plain text, converting PK to 48
 plain text, converting TFM to 52
 plain text, converting VF to 54
plain.base 29
plain.bst 39
plain.fmt 20
plain.mft 34
pltotf 54
 pool file, writing 40
 Poole, Simon 31
pooltype 41
 portable filenames 15
 portable memory dumps 13
 PostScript fonts, and Troff 36
 PostScript meets Metafont 35
 PostScript output 35
 PostScript to PK bitmaps 55
 PostScript Type 1 font conversion 55
 PostScript, and font scaling 47
potrace 55
 predefined macros and memory dumps 12
 prettyprinting Metafont or MetaPost source 33
 prettyprinting WEB programs 41
 primitives, new 27
 printable characters, specifying 24
 printer characteristics, for Metafont 30

production use 12
 program name, determines memory dump 13
 program names, special 8, 19
prologues 37
prologues, and EPSF output 36
proof mode 28
 proof sheets, of fonts 32
 property list format 52
 property list, converting TFM to 52
 property list, converting VF to virtual 54
ps2pk 55
psfonts.map, read by MetaPost 36
 pTeX 27
 PXL files, explained 47
pxtoch 55

Q

quoted filename for `\input` 15

R

Raichle, Bernd 22
 reading from the output directory 9
 reading, additional 1
 readonly directory, running TeX in 10
 reallocation of arrays 11
 recursive expansion limit 11
 redefined character substitutions 23
 reference pixel 49
 references 57
regis 31
 Regis graphics support 31
 regression testing 19
 repeated rows 50
 representation of strings 42
 restricted shell escapes 25
 right side bearing 49, 51
 Rokicki, Tomas 1
 run length encoded bitmaps 50, 51
 runtime options 11
 runtime stack overflow 11

S

scaled pixels 49, 51
 scaling of fonts 47
 security, and `\openout` 20
 security, and output files 20
 security, and shell escapes 25
 security, and `write` 36
 segmentation fault 11
 shapes 28
 sharing memory dumps 13
 shell commands in TeX 25
shell_escape enabling in TeX 25
shell_escape_commands 26
siam.bst 39

side bearings	49, 51
SIGSEGV	11
slant font	32
slides , package	21
slides, producing	21
Slit_EX	21
small Metafont memory and modes	30
smode and dynamic Metafont mode definition ..	30
sockets	26
space-terminated filenames	15
Spiderweb	40
Stallman, Richard	1
starting page	43, 44
Steele Jr., Guy L.	14
stopping at the first error	8
strategy, overall	1
string numbers, displaying	41
string pool, writing	40
string representation	42
style design, for Bib _E X	38
style files	34
substitutions of font glyphs	22
sun	31
sun-gfx.c	31
Suntools	31
SunView	31
swap space, as array limit	11
swapping bytes	13
syntax of TCX files	24
system C library function	25
system command	25
system fonts, using	27

T

T1 encoding and ISO input	24
tabs, and \input filenames	16
Tachikawa, Elizabeth	48
tangle	40
targets, additional Make	5
TCX character translation files	23
technical illustrations, creating	35
tek	31
Tektronix	31
Tektronix 4014	31
terminator for filenames	15
TERM	31
terse output	38
testing L _A T _E X	21
te _E X distribution	1
tex	17
tex.fmt	20
_E X, bibliographies for	38
_E X, creating from Metafont or MetaPost	33
_E X, creating from WEB	41
_E X, description of	17
_E X, extensions to	26
_E X, format packages for	21

_E X, initial	20
_E X, input files found	17
_E X, invocation	17
_E X, Metafont, and MetaPost	11
_E X, Web2c implementation of	1
TEXBIB, search path for bib files	38
TEXEDIT	14
texfonts.map	9
Texinfo	21
texmf.cnf	9, 11
texmf.cnf for editors	14
texmf.cnf for shell escapes	25
texmf_casefold_search	11
TEXMF_OUTPUT_DIRECTORY	10
texmfm.c	32
TEXMFOUTPUT, used if ‘.’ unwritable	10
texput	18
TFM files, converting property lists to	54
TFM files, explained	47
TFM files, output by Metafont	28
TFM files, output by MetaPost	35
TFM width of characters	49, 51
tftopl	52
three programs	11
time and date, in memory dumps	14
title font	32
tl-check-fmtshare	13
tokenization, and \input filenames	16
toolkits, X	31
torture tests	5
translation file for _E X, specifying	9
translation from WEB to C	1
trap Make target	5
trap test	5
trapman.tex	5
Trickey, Howard	1
trip Make target	5
trip test	5
tripman.tex	5
triptrap Make target	5
Troff, and MetaPost	36
troff , supported in MetaPost	35
Troff, WEB for	40
Trojan horses and _E X programs	20
TrueType support	27
TUGboat bibliography	38
Type 1 conversion	55
type design, personal	30
type programs, DVI	43
type programs, GF	50
type programs, PK	48
type programs, pool	41
typeface families	28
typesetting	17

U

Unicode	27
Unicode input	18
Unicode input, native	27
uniterm	31
unsrt.bst	39
up \TeX	27
UTF-8 input	18
UTF-8 input, native	27

V

validation, of DVI files	43
validation, of GF files	50
validation, of PK files	48
validation, of TFM files	52
validation, of VF files	54
verbose Bib \TeX output, suppressing	38
verbosity, enabling	7
version number, finding	7
vertical escapement	51
VF files, converting property lists to	55
vftovp	54
virgin programs	12
virtual font creation	55
virtual fonts, expanding	43
virtual-fonts.knuth	47
virtualfonts.txt	47
vptovf	55

W

weave	41
web environments, and security	26
WEB pool files, displaying	41
WEB programs, compiling	40
WEB programs, typesetting	41
WEB2C, search path for TCX files	23
Weber, Olaf	1

webmac.tex	41
webman.tex	40
WEB	40
whitespace, in TCX files	24
whitespace-terminated filenames	15
width, device-independent	49, 51
width, in pixels	49
win32win	31
word processor, not	17
writing memory dumps	12

X

x offset	49
X bitmap fonts	55
X class name for Metafont	32
X resources	32
X server, and Metafont	31
X toolkits and Metafont	31
xampl.bib	38
xbfe , bitmap font editor	55
X \TeX	27
xfed , bitmap font editor	55
xfedor , bitmap font editor	55
Xlib	31
Xlib support	31
Xt	31
Xt support	31
xterm	31

Y

y offset	49
----------------	----